



Get more out of gels

Pricelist 2009

International US-\$

Content

Proteomics and Protein electrophoresis

Consumables	3-7
2D Gels for horizontal electrophoresis	3
Flat-Top and MultiphorII systems	3
Buffer packs	3
2DGels for vertical electrophoresis	3-5
GEHC Ettan DALTSix and twelve	3-5
Bio-Rad Dodeca 2D Electrophoresis system	3-5
Hoefer SE900	3-5
Buffer packs	5
FlapCassette 2D	5
1D Gels	5-7
Focus Gels	5
Clean Gels	6
SDS gels	6
Buffer Kits	6
Gel Tools and spot pickers	7-9
Grid cutter	7
Band picker	7
Spot picker	7-8
Equipment	8
FlatTop Horizontal Electrophoresis Unit	8
FlatTop Tower Multigel Horizontal Electrophoresis Unit	8
Protein gel stains	9
LavaPurple	9
LavaBlue	9
Cell Imaging stain	9
LavaCell	9
Quantification kits	9
LavaPep – protein and peptides	9
LavaDigest – protease activity	9
Genomics and DNA Electrophoresis	
Equipment	10
MUPID-EXU agarose electrophoresis system	10
GeneCatcher agarose gel band picker	10
Consumables	10-14
DNA Gels	10
PCR Products and Kits	11-14
Cell lysis and DNA prep kits	11
PCR reaction plates	12
Sealing film and Septamats	12-14
Micro Array products	14-15
Array Slides	14-15
Liquid Handling	
Neon Pipettes	15
DNA sequencing array regeneration	16
DNA sequencing consumables	16
Genescan ROX ladder	16
Better Buffer Big Dye	16
Accessories for ABI Sequencers	
310, 377, 3100, 3130, 3120xl, 3700, 3730, 3730XL	16-17
Accessories for Megabase	17
Cuvettes for Bio-Rad Gene Pulser and Micropulser	18
Accessories for protein and DNA electrophoresis units	
Bio-Rad Protean II	18, 19
Bio-Rad Mini Protean II	20
Bio-Rad Mini Protean III	21
Sub marine electrophoresis	21
Bio-Rad Dodeca	21
Bio-Rad Sequi-Gen	22
Gibco BRL	23-24
Hoefer SE250, SE260	24
Hoefer SE400, SE600 and Ruby	25
OWL B2-B3 Mini Gel Electrophoresis System	26
Li-Cor 4000, 4200 and 4300	26
GEHC Ettan DALT six and twelve	28



Dear Scientist,

gelcompany develops, manufactures and supplies innovative consumables and accessories for Proteomics, Genomics and Cell Biology to scientists around the world. We provide products with superior performance that are simple and safe to use and that are environmentally friendly.

gelcompany brings together into one organization :
 Fluorotechnics (Sydney) – fluorescence-based consumables
 ETC Elektrophorese-Technik GmbH (Tübingen) – high-end electrophoresis pre-cast gels, consumables and equipment.
 The Gel Company (San Francisco) – cell culture, DNA sequencing, proteomics and microarray consumables and equipment.

Throughout this Product Guide you will find examples of how the complementary products from the three companies work together to create workflow solutions. The combined company has an international team of experienced scientists dedicated to developing new technologies and products and providing the highest level of customer support.

With distribution points in Europe, North America and Australia, gelcompany is able to provide its customers with prompt delivery and friendly efficient service – at a very competitive price.

I encourage you to study this Product Guide to see if our 'new company', that is based on years of industry experience, can provide you with a new or alternative solution.

James Walker
 CEO
 gelcompany

May 2009



Proteomics flatbed kits

Proteomics flatbed gels on standard gel support for classical Coomassie and Silver Staining

Cat. No.	Pack size	Name/Description	Price (\$)
1009-12	5	2DGel flatbed 12.5% 5 gels for 2 x 11 cm IPGstrips for Multiphor or FlatTop 1 marker well 5 µl, 0.65 mm thick, 25 x 12.5 cm, incl. buffers and wicks standard gel support	260
1009-13	5	2DGel flatbed 10 - 15% 5 gels for 2 x 11 cm IPGstrips for Multiphor or FlatTop 1 marker well 5 µl, 0.65 mm thick, 25 x 12.5 cm, incl. buffers and wicks standard gel support	293
1009-16	5	2DGel flatbed 12.5% Large 5 gels for 1 x 24 cm IPGstrips for FlatTop Large, 1 marker well 5µl, 0.65 mm thick, 25.5 x 20 cm, incl. buffers and wicks, standard gel support	390
1009-17	5	2DGel flatbed 10 - 15% Large 5 gels for 1 x 24 cm IPGstrips for FlatTop Large, 1 marker well 5µl, 0.65 mm thick, 25.5 x 20 cm, incl. buffers and wicks, standard gel support	442



Proteomics flatbed kits NF

Proteomics flatbed gels on non-fluorescent gel support for fluorescent staining and DIGE

Cat. No.	Pack size	Name/Description	Price (\$)
1009-02	5	2DGel flatbed NF 12.5% 5 gels for 2 x 11 cm IPGstrips for Multiphor or FlatTop, 1 marker well 5 µl 0.65 mm thick, 25 x 12.5 cm, incl. buffers and wicks, non fluorescent gel support	260
1009-03	5	2DGel flatbed NF 10 - 15% 5 gels for 2 x 11 cm IPGstrips for Multiphor or FlatTop 1 marker well 5 µl, 0.65 mm thick, 25 x 12.5 cm, incl. buffers and wicks non-fluorescent gel support	293
1009-04	5	2DGel flatbed 15% NF 5 gels for 2 x 11 cm IPGstrips for Multiphor or Flat-Top 1 marker well 5µl 0.65 mm thick, 25 x 12.5 cm incl. Buffers and Wicks non-fluorescent gel support	260
1009-06	5	2DGel flatbed NF 12.5% Large 5 gels for 1 x 24 cm IPGstrips for Flat-Top Large, 1 marker well 5 µl 0.65 mm thick, 25.5 x 20 cm incl. buffers and wicks non-fluorescent gel support	390
1009-07	5	2DGel flatbed NF 10-15% Large 5 gels for 1 x 24 cm IPGstrips for Flat-Top Large, 1 marker well 5 µl 0.65 mm thick, 25.5 x 20 cm incl. buffers and wicks non-fluorescent gel support	442



Buffer packs for flatbed gels

Cat. No.	Pack size	Name/Description	Price (\$)
1019-19	1	Buffers and wicks 2DGel flatbed 100 ml IPGstrip equilibration buffer 100 ml Cathode/Anode buffer 10 Electrode Strips	52
1019-20	1	Buffers and wicks 2DGel flatbed large 100 ml IPGstrip equilibration buffer 400 ml Cathode/Anode buffer 40 Electrode Strips	78



Proteomics kits for vertical system

Proteome vertical gel on non-fluorescent gel support for fluorescent staining and DIGE

Cat. No.	Pack size	Name/Description	Price (\$)
1009-21	6	2DGel DALT NF 12.5% 6 gels for Ettan DALT incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	468
1009-22	6	2DGel DALT NF 10 -15% 6 gels for Ettan DALT incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	553
1009-23	6	2DGel Laemmli NF 12.5% 6 gels for SE900 incl. Laemmli buffer 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	390
1009-24	6	2DGel Laemmli NF 10 - 15% 6 gels for SE900 incl. Laemmli buffer 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	455
1009-25	12	2DGel DALT NF 12.5% 12 gels for Ettan DALT incl. buffer for ETTAN DALTwelve 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	845
1009-26	12	2DGel DALT NF 10 -15% 12 gels for Ettan DALT incl. buffer for ETTAN DALTwelve 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	1,060
1009-27	12	2DGel Laemmli NF 12.5% 12 gels for Dodeca incl. buffer for Dodeca 25 L 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	715
1009-28	12	2DGel Laemmli NF 10 -15% 12 gels for Dodeca incl. buffer for Dodeca 25 L 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	826

Cat. No.	Pack size	Name/Description	Price (\$)
1009-43	6	2DGel Laemmli NF 12.5% 6 gels for Ettan DALT incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	468
1009-44	6	2DGel Laemmli NF 10 - 15% 6 gels for Ettan DALT incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	533
1009-47	12	2DGel Laemmli NF 12.5% 12 gels for Ettan DALT incl. buffer for ETTAN DALTwelve 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	845
1009-48	12	2DGel Laemmli NF 10 - 15% 12 gels for Ettan DALT incl. buffer for ETTAN DALTwelve 1 mm thick, 25.5 x 19.5 cm non-fluorescent gel support	1,060



Proteomics kits NF

Complete Starter Kits

Cat. No.	Pack size	Name/Description	Price (\$)
1009-71	120	2DGel DALT NF 12.5% 120 gels incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller non-fluorescent gel support	8,450
1009-72	120	2DGel DALT NF 10 - 15% 120 gels incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller non-fluorescent gel support	10,595
1009-73	120	2DGel Laemmli NF 12.5% 120 gels for Dodeca and SE900 (please specify) incl. Laemmli buffer 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller non-fluorescent gel support	2,150
1009-74	120	2DGel Laemmli NF 10 - 15% 120 gels for Dodeca and SE900 (please specify) incl. Laemmli buffer 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller non-fluorescent gel support	8,225
1009-75	120	2DGel DALT NF 12.5% 120 gels incl. buffer for ETTAN DALTwelve 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller non-fluorescent gel support	8,450
1009-76	120	2DGel DALT NF 10 - 15% 120 gels incl. buffer for ETTAN DALTwelve 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller non-fluorescent gel support	10,595

Proteomics kits



Vertical proteomic gels on standard gel support for classical Coomassie and silver staining

Cat. No.	Pack size	Name/Description	Price (\$)
1009-31	6	2DGel DALT 12.5% 6 gels incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm standard gel support	488
1009-32	6	2DGel DALT 10 - 15 % 6 gels incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm standard gel support	533
1009-33	6	2DGel Laemmli 12.5% 6 gels for Dodeca and SE900 incl. Laemmli buffer 1 mm thick, 25.5 x 19.5 cm standard gel support	390
1009-34	6	2DGel Laemmli 10 - 15% 6 gels for Dodeca and SE900 incl. Laemmli buffer 1 mm thick, 25.5 x 19.5 cm standard gel support	455
1009-35	12	2DGel DALT 12.5% 12 gels incl. buffer for ETTAN DALTwelve 1 mm thick, 25.5 x 19.5 cm standard gel support	845
1009-36	12	2DGel DALT 10 - 15 % 12 gels incl. buffer for ETTAN DALTwelve 1 mm thick, 25.5 x 19.5 cm standard gel support	1,060
1009-53	6	2DGel Laemmli 12.5% DALTsix 6 gels, 1 mm thick, 25.5 x 19.5 incl. Laemmli buffer for 6.5 liter standard gel support	364
1009-54	6	2DGel Laemmli 10 - 15% DALTsix 6 gels, 1 mm thick, 25.5 x 19.5 incl. Laemmli buffer standard gel support	409
1009-57	12	2DGel Laemmli 12.5% DALTwelve 12 gels, 1 mm thick, 25.5 x 19.5 incl. Laemmli buffer standard gel support	650
1009-58	12	2DGel Laemmli 10 - 15% DALTwelve 12 gels, 1 mm thick, 25.5 x 19.5 incl. Laemmli buffer, standard gel support	761
1009-37	12	2DGel Laemmli 12.5% 12 gels for Dodeca 1 mm thick, 25.5 x 19.5 incl. Laemmli buffer standard gel support	715
1009-38	12	2DGel Laemmli 10 - 15% 12 gels for Dodeca incl. Laemmli buffer 1 mm thick, 25.5 x 19.5 cm, standard gel support	826



Complete starter kits

Cat. No.	Pack size	Name/Description	Price (\$)
1009-81	120	2DGel DALT 12.5% 120 gels for ETTAN DALT incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller standard gel support	8,450
1009-82	120	2DGel DALT 10 - 15% 120 gels for ETTAN DALT incl. buffer for ETTAN DALTsix 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller standard gel support	10,595
1009-83	120	2DGel Laemmli 12.5% 120 gels for Dodeca and SE900 (please specify) incl. Laemmli buffer, 1 mm thick, 25.5 x 19.5 cm, 6 Flap cassettes, 1 roller standard gel support	7,150
1009-84	120	2DGel Laemmli 10 - 15% 120 gels for Dodeca and SE900 (please specify) incl. Laemmli buffer, 1 mm thick, 25.5 x 19.5 cm, 6 Flap cassettes, 1 roller standard gel support	8,255
1009-85	120	2DGel DALT 12.5% 120 gels incl. buffer for ETTAN DALTtwelve, 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller standard gel support	8,450
1009-86	120	2DGel DALT 10 - 15% 120 gels incl. buffer for ETTAN DALTtwelve 1 mm thick, 25.5 x 19.5 cm 6 Flap cassettes, 1 roller standard gel support	10,595



2D Gel accessories

Cat. No.	Pack size	Name/Description	Price (\$)
1003-40		FlapCassette 2D Cassette for running 2D Gels in vertical electrophoresis units like: ETTAN DALTsix and twelve Bio-Rad Dodeca and Hoefer SE900	207



Buffer packs for vertical gels

Cat. No.	Pack size	Name/Description	Price (\$)
1019-71	1	Buffer kit 2DGel DALTsix 5 L anodal buffer for 1.4 L cathodal buffer 100 ml IPG - equilibration buffer, agarose for strip fixation, 1 run	86

1019-72	1	Buffer kit 2DGel DALTtwelve 7.5 L anodal buffer for 2.5 L cathodal buffer 2x 100 ml IPG - equilibration buffer, 2x agarose for strip fixation, 1 run	129
1019-73	1	Buffer kit Laemmli Dodeca for 25 L buffer incl. buffer for Dodeca 2x 100 ml IPG - equilibration buffer, 2x agarose for strip fixation, 1 run	111
1019-74	1	Buffer kit Laemmli DALTsix for 7.0 L electrode buffer incl. buffer for ETTAN DALTsix 100 ml IPG - equilibration buffer, agarose for strip fixation, 1 run	26
1019-75	1	Buffer kit Laemmli DALTtwelve for 10 L electrode buffer 100 ml IPG - equilibration buffer, agarose for strip fixation, 1 run	47
1019-76	1	Buffer kit Laemmli Hoefer SE 900 for 12.5 L electrode buffer 100 ml IPG - equilibration buffer, agarose for strip fixation, 1 run	59



Focus gel

Cat. No.	Pack size	Name/Description	Price (\$)
1006-01	5	Focusgel 3-10 5 Ready-to-Use gels for IEF, pH 3-10	338
1006-02	5	Focusgel 3-7 5 Ready-to-Use gels for IEF, pH 3-7	358
1006-03	5	Focusgel 6-11 24S 5 Ready-to-Use gels for IEF, pH 6-11, 24 slots for 25 µl	338
1006-04	5	Focusgel 6-9 24S HEM 5 Ready-to-Use gels for IEF, pH 6-9, 24 slots for 25 µl	338
1006-06	5	Focusgel 2-6 5 Ready-to-Use gels for IEF, pH 2-6, 0.43 mm Optimized for Serva-Violet staining.	338
1006-07	5	Focusgel 4-5 24S 5 Ready-to-Use gels for IEF, pH 4-5, 24 slots for 25 µl	338
1006-08	5	Focusgel 6-11 40S 5 Ready-to-Use gels for IEF, pH 6-11, 40 slots for 12 µl	338
1006-09	5	Focusgel 4-6 24S 5 Ready-to-Use gels for IEF, pH 4-6, 24 slots for 25 µl	338
1006-18	5	Focusgel 3-10 24S 5 Ready-to-Use gels for IEF, pH 3-10, 24 slots for 25 µl	338

CleanGel



Cat. No.	Pack size	Name/Description	Price (\$)
1001-01	5	CleanGel 10% 25S 5 rehydratable gels, 10% T, 25 slots for 15 µl, 12.5 cm x 25 cm, 0.43 mm	140
1001-02	5	CleanGel 10% NF 36S 5 rehydratable gels, 10% T, 36 slots for 6 µl, gel support is non-fluorescent, 12.5 cm x 25 cm, 0.65 mm	140
1001-03	5	CleanGel 10% 52S 5 rehydratable gels, 10% T, 52 slots for 6 µl, 12.5 cm x 25 cm, 0.43 mm	140
1001-12	5	CleanGel DNA HP 10% 5 rehydratable gels, 10% T, 36 slots for 6 µl, 12.5 cm x 25 cm, 0.43 mm	140
1001-21	5	CleanGel 15% 25S 5 rehydratable gels, 12.5% T, 25 slots for 15 µl, 12.5 cm x 25 cm, 0.65 mm	140
1001-22	5	CleanGel DNA HP 15% 5 rehydratable gels, 15% T, 36 slots for 6 µl, 12.5 cm x 25 cm, 0.65 mm	140
1001-23	5	CleanGel 15% 52S 5 rehydratable gels, 15% T, 52 slots for 6 µl, 12.5 cm x 25 cm, 0.43 mm	140
1001-24	5	CleanGel 15% NF 36S 5 rehydratable gels, 15% T, 36 slots for 6 µl, gel support is non-fluorescent, 12.5 cm x 25 cm, 0.65 mm	140
1001-26	5	CleanGel HyRes 36S 5 rehydratable gels, 10% T, 36 slots for 6 µl, normal gel-support, 12.5 cm x 25 cm, 0.65 mm	147
1001-28	5	CleanGel HyRes 52S 5 rehydratable gels, 10% T, 52 slots for 6 µl, normal gel-support, 12.5 cm x 25 cm, 0.65 mm	147
1001-60	20	CleanGel IEF for PhastSystem 20 rehydratable gels for CSF analysis 5% T, 4.2 cm x 5 cm, 0.43 mm	181
1004-04	1	IEF Ampholyte mix	156

CleanGel buffers



Cat. No.	Pack size	Name/Description	Price (\$)
1002-01	1	Native buffer native buffer system for native cathodal electrophoresis of proteins	98
1002-03	1	SDS borate buffer kit SDS buffer system for SDS-electrophoresis of high molecular weight proteins	70
1002-06	1	SDS buffer neutral for SDS-electrophoresis	98
1002-08	1	Delect buffer kit pH 7.3 buffer system for DNA-electrophoresis and native - anodal protein electrophoresis	98
1002-19	1	DNA Disc electrophoresis buffer system for native and denaturing DNA-electrophoresis	70
1002-21	1	DNA HyRes buffer buffer system for native DNA- electrophoresis on CleanGels HyRes	70

CleanGel kits

Cat. No.	Pack size	Name/Description	Price (\$)
1020-11	5	Sortex-kit 10% Cereal-cultivar-differentiation- electrophoresis kit 5 gels 10% T + special buffer kit	263

ID SDS PAGE kit



Cat. No.	Pack size	Name/Description	Price (\$)
1021-01	5	SDS Gel kit 10% 25S Ready-to-Use kit for SDS-electrophoresis: 10%T, 25 slots for 15 µl, 5 gels + buffer kit	261
1021-02	5	SDS Gel kit 10% 52S Ready-to-Use gel kit for SDS-electrophoresis: 10%T, 52 slots for 6 µl, 5 gels + buffer kit	261
1021-03	5	SDS Gel kit 15% 25S Ready-to-Use kit for SDS-electrophoresis: 15%T, 25 slots for 15 µl, 5 gels + buffer kit	261
1021-04	5	SDS Gel kit 15% 52S Ready-to-Use kit for SDS-electrophoresis: 15% T, 52 slots for 6 µl, 5 gels + buffer kit	261
1021-23	5	1DGel kit flatbed NF 12.5% Ready-to-Use gel kit for 1-dimensional DIGE-samples and all other fluorescent visualizations. 12.5% T, 25 slots for 15 µl, 5 gels + buffer kit, 25 x 12.5 cm. On non-fluorescent film support	278

1021-24	5	1DGel kit flatbed NF 15% Ready-to-Use gel kit for 1-dimensional DIGE-samples and all other fluorescent visualizations. 15% T, 25 slots for 15 µl, 5 gels + buffer kit, 25 x 12.5 cm. On non-fluorescent film support	278
---------	---	--	-----

Gel tools



Grid cutter

Cat. No.	Pack size	Name/Description	Price (\$)
MEE-1.3X1.3	10	Disposable gridcutter, 1.3 mm x 1.3 mm lanes. 6 rows, 6 columns These disposable gridcutters simultaneously cut and excise 36 gel slices from a gel. Each slice is approximately 1.3 mm x 1.3 mm. The gridcutters ship as 1 pack of 10. The blades are attached to a mount (sold separately, see catalog number MEF-8.8. The mount also comes with special pick to remove gel slices from cutter).	98
MEE-1X1	10	Disposable gridcutter, 1 mm x 1 mm lanes. 8 rows, 8 columns These disposable gridcutters simultaneously cut and excise 64 gel slices from a gel. Each slice is approximately 1 mm x 1 mm. The gridcutters ship as 1 pack of 10. The blades are attached to a mount (sold separately, see catalog number MEF-8.8. The mount also comes with special pick to remove gel slices from cutter).	98
MEE-1X10	10	Disposable lanepicker, 1 mm x 10 mm lanes. 26 rows, 1 column These disposable gridcutters simultaneously cut and excise 26 gel slices within 1 lane of a gel. Each slice is approximately 1 mm x 10 mm. The gridcutters ship as 1 pack of 10. The blades are attached to a mount (sold separately, see catalog number MEF-11. The mount also comes with special pick to remove gel slices from cutter).	98
MEE-1X3.5	10	Disposable lanepicker, 1 mm x 3.5 mm lanes, 26 rows, 1 column These disposable gridcutters simultaneously cut and excise 26 gel slices within 1 lane of a gel. Each slice is approximately 1 mm x 3.5 mm. The gridcutters ship as 1 pack of 10. The blades are attached to a mount (sold separately, see catalog number MEF-3.5. The mount also comes with special pick to remove gel slices from cutter).	98
MEE-1X5	10	Disposable lanepicker, 1 mm x 5 mm lanes. 40 rows, 1 column These disposable gridcutters simultaneously cut and excise 40 gel slices within 1 lane of a gel. Each slice is approximately 1 mm x 5 mm. The gridcutters ship as 1 pack of 10. The blades are attached to a mount (sold separately, see catalog number MEF-1.5. The mount also comes with special pick to remove gel slices from cutter).	98

MEE-2X2	10	Disposable gridcutter, 2 mm x 2 mm lanes. 4 rows, 4 columns These disposable gridcutters simultaneously cut and excise 16 gel slices from a gel. Each slice is approximately 2 mm x 2 mm. The gridcutters ship as 1 pack of 10. The blades are attached to a mount (sold separately, see catalog number MEF-8.8. The mount also comes with special pick to remove gel slices from cutter).	98
MEE-2X7	10	Disposable lanepicker, 2 mm x 7 mm lanes. 25 rows, 1 column These disposable gridcutters simultaneously cut and excise 25 gel slices within 1 lane of a gel. Each slice is approximately 2 mm x 7 mm. The gridcutters ship as 1 pack of 10. The blades are attached to a mount (sold separately, see catalog number MEF-1.5. The mount also comes with special pick to remove gel slices from cutter).	90
MEF-1.5	1	Mount for Disposable gridcutter with pick Mount for Disposable gridcutter blades. Includes pick to remove gel slices from cutter.	176
MEF-11	1	Mount for Disposable gridcutter with pick Mount for Disposable gridcutter blades. Includes pick to remove gel slices from cutter.	176
MEF-3.5	1	Mount for Disposable gridcutter with pick Mount for Disposable gridcutter blades. Includes pick to remove gel slices from cutter.	176
MEF-8.8	1	Mount for Disposable gridcutter with pick Mount for Disposable gridcutter blades. Includes pick to remove gel slices from cutter.	176



PowerPicker

Cat. No.	Pack size	Name/Description	Price (\$)
PDB5.0	1	PowerPicker 1D band picker, based on an electropassivated surgical grade stainless steel cutter, for removal of 1D bands from acrylamide and agarose gels. The cutter is 5 mm x 1.5 mm, roughly the size of a band in a 1D gel lane. Please contact us directly for alternate sizes.	184
P2D1.5	1	OneTouch 2D gel spotpicker, 1.5 mm diameter	163
P2D3.0	1	OneTouch 2D gel spotpicker, 3.0 mm diameter	163
P2D5.0	1	OneTouch 2D gel spotpicker, 5.0 mm diameter	189



OneTouch 2-D gel spot picker

This new patent pending spot picker is designed to effortlessly excise bands from 2D gels and dispense them into microtitre plates or tubes. No more scalpels or blades and no more gel cutting! Simply find the spot you want, press down and the band will be cleanly removed from the gel.

- one motion removes spot
- push button gel release
- ergonomic and time saving
- available in 1.5 mm, 3.0 and 5.0 diameters
- for removal of polyacrylamide and 6 mm agarose gels

Cat. No.	Pack size	Name/Description	Price (\$)
PDM1.5	1	OneTouch Plus spot picker, 1.5 mm diameter The OneTouch Plus spot picker with disposable tips (sold separately), removes 1.5 mm diameter spots from 2D gels. A new tip is used for every spot, eliminating cross contamination from one sample to the next. The unit uses specially made thin walled, sharp tips with floating filters (US Patent 6,702,990) to eject the gel plug from the tip.	254
PDM3.0	1	OneTouch Plus spot picker, 3.0 mm diameter The OneTouch Plus spot picker with disposable tips (sold separately), removes 3.0 mm diameter spots from 2D gels. A new tip is used for every spot, eliminating cross contamination from one sample to the next. The unit uses specially made thin walled, sharp tips with floating filters (US Patent 6,702,990) to eject the gel plug from the tip.	254
TSP1.5	960	Disposable tips with floating filter for PDM1.5 OneTouch Plus spot picker (US Patent 6,702,990), 10 racks of 96, DNase and RNase free	98
TSP3.0	960	Disposable tips with floating filter for PDM3.0 OneTouch Plus spot picker (US Patent 6,702,990), 10 racks of 96, DNase and RNase free	98
LPB65-100	100	Low protein binding microtubes for in gel digestion New 0.65 ml secure seal graduated flat top low binding microtubes. These tubes are ideal for protein in solution applications such as in gel digestion. Packaged as 100 tubes per pack. Also, ask about our new low protein binding 96 well and 384 well plates.	22



Electrophoresis accessories

Cat. No.	Pack size	Name/Description	Price (\$)
1003-03	1	PaperPool Tray for soaking the electrode strips (up to 4 layers = 80 ml) suitable also for 2DGels large	194
1003-20	1	CleanPool Combined tray for rehydration the CleanGels and soaking the electrode strips	194
1003-90	1	Roller to roll on gels into cassettes	81
1003-55	1	IPG-Strip pusher Plastic tool to push an IPG-strip into FlapCassette	26
1003-25	1	Steel tray + grid + lid Tray for cold and hot staining, 150 mm x 300 mm x 60 mm for all 125 mm x 260 mm gels	454
1003-26	1	Steel tray large + grid + lid tray for cold and hot staining, 220 mm x 280 mm x 60 mm for all large and DALT gels	649
1003-04	1	IPG-Strip pool Rehydration and equilibration tray with lid, for equilibrating 12 IPG-strips up to 24 cm	189
1004-15	1	IPG-Ampholytes 1 ml 40% (w/v) Ampholyte mixture for IPG-strip rehydration	51



Electrophoresis systems

Cat. No.	Pack size	Name/Description	Price (\$)
1111-01	1	FlatTop tower for horizontal electrophoresis multiple run of up to 4 gels, single access to each slide, high efficient cooling	16,887
1100-02	1	FlatTop large for horizontal electrophoresis and IEF, alumina ceramics, movable electrode, security lid	2,730
1100-03	1	FlatTop Chamber II FlatTop Chamber II for horizontal electrophoresis and IEF, alumina ceramics, movable electrode, security lid	2,544

Protein gel stains

LavaPurple

Cat. No.	Pack size	Name/Description	Price (\$)
LP011005	5 ml	LavaPurple 5 ml fluorescent protein stain kit Fluorescent 1 & 2D protein gel and blot stain. Dilutes to 1 L. Ready to use kit containing all buffers and fixatives. Sensitivity to as low as 50 pg/band. Linear quantification over 4-orders of magnitude, Compatible with MS, DIGE-labelling, Environmentally friendly. Easy to use.	129
LP011025	25 ml	LavaPurple fluorescent protein stain kit Fluorescent 1 & 2D protein gel and blot stain. Dilutes to 5 L. Ready to use kit containing all buffers and fixatives. Sensitivity to as low as 50 pg/band. Linear quantification over 4-orders of magnitude, Compatible with MS, DIGE labelling. Environmentally friendly. Easy to use.	597
LP011100	100 ml	LavaPurple fluorescent protein stain kit Fluorescent 1 & 2D protein gel and blot stain. Dilutes to 20 L. Ready to use kit containing all buffers and fixatives. Sensitivity to as low as 50 pg/band. Linear quantification over 4-orders of magnitude, Compatible with MS, DIGE labelling. Environmentally friendly. Easy to use.	2,275
LP012005	5 ml	LavaPurple 5 ml fluorescent protein stain Fluorescent 1 & 2D protein gel and blot stain. Dilutes to 1 L. Sensitivity to as low as 50 pg/band. Linear quantification over 4-orders of magnitude, Compatible with MS, DIGE labelling. Environmentally friendly. Easy to use.	116
LP012025	25 ml	LavaPurple 25 ml fluorescent protein stain Fluorescent 1 & 2D protein gel and blot stain. Dilutes to 5 L. Sensitivity to as low as 50 pg/band. Linear quantification over 4-orders of magnitude, Compatible with MS, DIGE-labelling. Environmentally friendly. Easy to use.	519
LP012100	100 ml	LavaPurple 100 ml fluorescent protein stain Fluorescent 1 & 2D protein gel and blot stain. Dilutes to 20 L. Sensitivity to as low as 50 pg/band. Linear quantification over 4-orders of magnitude, Compatible with MS, DIGE-labelling. Environmentally friendly. Easy to use.	2,061
BP011005	5 ml	LavaPurple 5ml buffer pack Buffer pack for use with 5 ml LavaPurple stain.	31
BP011025	25 ml	LavaPurple 25ml buffer pack Buffer pack for use with 25 ml LavaPurple stain.	62
BP011100	100 ml	LavaPurple 100ml buffer pack Buffer pack for use with 100 ml LavaPurple stain	209

LavaBlue

Cat. No.	Pack size	Name/Description	Price (\$)
LB011001	1 ml	LavaBlue fluorescent protein stain 1 ml Fluorescent alternative to colloidal Coomassie. Suitable for 20 minigels, simple and quick protocol, >2.5 orders linear range, <2.5ng protein / band sensitivity, image using UV-transilluminator based systems, MS-compatible	90
LB011005	5 ml	LavaBlue fluorescent protein stain 5 ml Fluorescent alternative to colloidal Coomassie. Suitable for 100 minigels, simple and quick protocol, >2.5 orders linear range, <2.5ng protein / band sensitivity, image using UV-transilluminator based systems, MS-compatible	546

Cell imaging stain

Lava Cell

Cat. No.	Pack size	Name/Description	Price (\$)
LC011001	200 µl	LavaCell fluorescent live cell imaging stain 200 µl Non-toxic, no washing required, simple to use, long Stokes shift fluorescent cell stain - suitable for multiplexing with other stains	254
LC011002	1 ml	LavaCell fluorescent live cell imaging stain 1 ml Non-toxic, no washing required, simple to use, long Stokes shift fluorescent cell stain - suitable for multiplexing with other stains	897

Quantification Kits

Lava Pep

Cat. No.	Pack size	Name/Description	Price (\$)
LP022010	1	LavaPep fluorescent protein and peptide quantification kit For 2000 samples. Robust and sensitive (<100ng/ml protein/peptide) assay, >3 orders linear dynamic range, simple and safe to use, compatible with MS	228

LavaDigest

Cat. No.	Pack size	Name/Description	Price (\$)
LP031020	1	LavaDigest fluorescent proteolytic digestion monitoring kit For 2000 samples. Simple to use real time assay to monitor proteolytic digestions. Suitable for proteomic studies to achieve partial of full digestion or digestibility studies in food industry. Well suited to high throughput applications. Down stream compatibility with MS and other analytical methods.	449

Genomics and DNA Electrophoresis

ID DNA Gel kits

Cat. No.	Pack size	Name/Description	Price (\$)
1021-10	5	DNA Gel kit 10% 36S NF Ready-to-Use kit for DNA-electrophoresis: 10% T, 36 slots for 6 µl, gel support is non-fluorescent, 5 gels + buffer kit	239
1021-11	5	DNA Gel kit 15% 36S NF Ready-to-Use kit for DNA-electrophoresis: 15% T, 36 slots for 6 µl, gel support is non-fluorescent, 5 gels + buffer kit	239
1021-14	5	DNA Gel kit 10% 52S Ready-to-Use kit for DNA-electrophoresis: 10% T, 52 slots for 6 µl, 5 gels + buffer kit	239
1021-15	5	DNA Gel kit 15% 52S Ready-to-Use kit for DNA-electrophoresis: 15% T, 52 slots for 6 µl, 5 gels + buffer kit	239



DNA agarose gel Electrophoresis systems

Cat. No.	Pack size	Name/Description	Price (\$)
MPDEXU-01	1	MUPID-EXU horizontal electrophoresis The MUPID-exU is a new generation submarine electrophoresis system and includes a detachable, multi function power supply, direct visible gel box with high UV transmittance, a safety shut-off interlock cover, multichannel compatible gel loading combs, gel pouring stand, and a built in timer for set runs or continuous run modes.	649
MPDBL-01	1	MUPID-Blue DNA detection stain 50X concentrate, 1 ml	46
MAF15	1	Gel sealing tape, 1.5"x 72 yards, yellow mylar	25
MAF1	1	Gel sealing tape, 1"x 72 yards, yellow mylar	21
MCS-01	1	Casting stand for MUPID-EX Horizontal Gel electrophoresis system Comb position easily changed; accommodates up to 4 combs per gel	33
CMR-04	4	13 and 26 well comb set for MUPID-EX Horizontal Gel Electrophoresis system, multichannel-pipette compatible, 4/pk	62
MGT-01	2	Gel Running Tray set for MUPID-EX Horizontal Gel Electrophoresis system. 6 cm and 12 cm UV transparent trays.	52



GeneCatcher

Cat. No.	Pack size	Name/Description	Price (\$)
PKB4.0	250	GeneCatcher disposable gel excision tips, 4.0 mm x 1.0 mm Designed for removing bands from agarose gels. GeneCatcher uses a simple and rapid two-step process. The rectangular band shaped disposable tips, 4.0 mm x 1 mm, eliminates cross contamination between	81

samples. Current methods, such as using razor blades, are unsafe, require multiple steps including washing or rinsing, lead to variable results, and are slow and tedious. GeneCatcher is a safe and efficient one handed operation, with a push button gel and tip release, providing researchers with uniform extractions. **Packaged 250 tips/bag.** Tips fit standard 1000 µl pipettors or our specially made NEON pipettor (catalog number QDLP1000). Also available in racks (catalog number PKB4.0-R)

PKB4.0-R	240	GeneCatcher disposable gel excision tips, 4.0 mm x 1.0 mm Designed for removing bands from agarose gels, GeneCatcher uses a simple and rapid two-step process. The rectangular band shaped disposable tips, 4.0 mm x 1 mm, molded from polypropylene, eliminates cross contamination between samples. Current methods, such as using razor blades, are unsafe, require multiple steps including washing or rinsing, lead to variable results, and are slow and tedious. GeneCatcher is safe and efficient one handed operation, a with a push button gel and tip release, providing researchers with uniform extractions. Packaged 5 racks of 48 tips. Tips fit standard 1000 µl pipettors or our specially made NEON pipettor (catalog number QDLP1000).	189
PKB6.5	250	GeneCatcher disposable gel excision tips, 6.5 mm x 1.0 mm Designed for removing bands from agarose gels, GeneCatcher uses a simple and rapid two-step process. The rectangular band shaped disposable tip, 6.5 mm x 1 mm, molded from polypropylene, eliminates cross contamination between samples. Current methods, such as using razor blades, are unsafe, require multiple steps including washing or rinsing, lead to variable results, and are slow and tedious. GeneCatcher is a safe and efficient one handed operation, with a push button gel and tip release, providing researchers with uniform extractions. Packaged 250 tips/bag. Tips fit standard 1000 µl pipettors or our specially made NEON pipettor (catalog number QDLP1000).	81
PKB6.5-R	240	GeneCatcher disposable gel excision tips, 6.5 mm x 1.0 mm Designed for removing bands from agarose gels, GeneCatcher uses a simple and rapid two-step process. The rectangular band shaped disposable tips, 6.5 mm x 1 mm, molded from polypropylene, eliminates cross contamination between samples. Current methods, such as using razor blades, are unsafe, require multiple steps including washing or rinsing, lead to variable results, and are slow and tedious. GeneCatcher is a safe and efficient one handed operation, with a push button gel and tip release, providing researchers with uniform extractions. Packaged 5 racks of 48 tips. Tips fit standard 1000 µl pipettors or our specially made NEON pipettor (catalog number QDLP1000).	189

PCR products



microLYSIS for PCR ready DNA

Cat. No.	Pack size	Name/Description	Price (\$)
2ML-100	100 preps	microLYSIS for PCR ready DNA microLYSIS is a novel reagent specially formulated to be used as a pre-step to PCR in circumstances when purification of the DNA is not necessary. It effectively and reliably lyses cells, including blood cells, buccal cells, fibroblasts, yeast, insects, protozoa, plants, virus and all types of bacteria tested to date. microLYSIS is a very powerful tool for rapid screening of samples, both small and large. microLYSIS allows you to go directly from cells to PCR in minutes!	135
2ML-250	250	250 preps	319
2ML-1000	1000	1000 preps	1,164



microLYSIS-PLUS for PCR ready DNA

Cat. No.	Pack size	Name/Description	Price (\$)
2MLP-100	100 preps	microLYSIS-PLUS for PCR ready DNA microLYSIS-PLUS works in the same manner as microLYSIS, but this version is designed for cell types which are generally more difficult to lyse. microLYSIS-PLUS contains a more powerful detergent mixture combined with DNA protectors to provide PCR ready DNA.	135
2MLP-250	100	250 preps	319
2MLP-1000	1000	1000 preps	1,164



MegaMIX Blue, Blue PCR Master Mix

Cat. No.	Pack size	Name/Description	Price (\$)
2MMB-05	5 ml	MegaMIX Blue, Blue PCR Master Mix MegaMix is a complete freeze / thaw, stable, high-performance PCR Master Mix containing all the basic components required for PCR amplification; a licensed Taq DNA polymerase, dNTP's, MgCl ₂ , reaction buffer and a superb enzyme stabilizer. To set up a PCR reaction, simply thaw MegaMix, aliquot the desired volume and add DNA and primers. MegaMix Blue also contains a blue gel loading dye. After your PCR just load directly onto electrophoresis gel. No loading buffer required. Many other mixes are available with or without loading dyes, at various strengths and concentrations. Please inquire.	125
2MMB-25	25 ml	MegaMIX Blue, Blue PCR Master Mix	566



microCLEAN PCR clean up

Cat. No.	Pack size	Name/Description	Price (\$)
2MCL-05	5 ml	microCLEAN PCR clean up, 5 ml, 250 runs Works fast and effectively in tubes and 96 well plates. microCLEAN is an extremely rapid and simple, one tube, one and a half spin DNA cleanup reagent. It can be used to clean up or concentrate any type of double stranded DNA, efficiently removing reaction buffers, enzymes, primers, primer dimers or dNTPs (labelled or unlabelled). Ideally suited to clean up PCR fragments, labelled probes and is optimized for PCR clean up prior to sequencing. An easy, 'no mess' protocol, it requires NO additional manipulation, i.e. no phenol extractions, ethanol precipitations, glass milk or spin columns are required. There is no limit to the size of the target DNA to be purified by this method and the protocol can be adapted for any sample size. After microCLEAN, the DNA can be resuspended in any desired volume. microCLEAN offers 100% recovery of clean DNA for further processing.	135
2MCL-10	10 ml	microCLEAN PCR clean up, 10 ml	254



Thermocycler testing kit

Cat. No.	Pack size	Name/Description	Price (\$)
20K-100	100 tests	Thermocycler testing kit Is your Thermal Cycler heating and cooling properly? Achieving and maintaining the pre-programmed temperature? Giving uniform performance across the whole block? When the thermal cycler is performing correctly at the protocol annealing temperature of 65 °C, three fragments of differing intensities are seen. Results are compared to a map which indicates proper or erroneous performance of a given thermocycler.	118
20K-500	500	Thermocycler testing kit, 500 Tests	501



Sealing films

Cat. No.	Pack size	Name/Description	Price (\$)
MAF100	100	<p>AlumaSeal II film for PCR and cold storage A 1.5 mil soft non-permeable aluminum foil film with strong medical-grade adhesive, AlumaSeal II film eliminates the need for heat-sealing devices or mats during thermal cycling. Each film measures 3.25 x 5.625 inches and offers sufficient sealing area for all PCR plates. Length between the perforations with end-tabs removed is 4.937 inches. Compared to other aluminum foils, AlumaSeal II has less tendency to roll back on itself when removing the backing paper and conforms well to the plate during application. Easily pierceable with single or multichannel pipettors and robotic probes. Heat & cold resistant, recommended for temperatures from -80° C to +120° C. Certified DNase-, RNase-, and nucleic-acid-free. Excellent barrier properties, virtually no sample evaporation or drying.</p>	81
MAF110	50	<p>AlumaSeal II sterile film for PCR and cold storage A 1.5 mil soft non-permeable aluminum foil film with strong medical-grade adhesive, AlumaSeal II film eliminates the need for heat-sealing devices or mats during thermal cycling. Each film measures 3.25 x 5.625 inches and offers sufficient sealing area for all PCR plates. Length between the perforations with end-tabs removed is 4.937 inches. Compared to other aluminum foils, AlumaSeal II has less tendency to roll back on itself when removing the backing paper and conforms well to the plate during application. Easily pierceable with single or multichannel pipettors and robotic probes. Heat & cold resistant, recommended for temperatures from -80° C to +120° C. Certified DNase-, RNase-, and nucleic-acid-free. Excellent barrier properties, virtually no sample evaporation or drying. Sterile packaged in 4 mil tamper-evident bags of 25.</p>	59
MAF200	200	<p>SealPlate ministrips film MiniStrips films are identical to SealPlate films, but designed for sealing only one or two 8-well rows at a time on either strip-well plates or standard plates whenever rows must be selectively protected or accessed. Each film is 0.75 x 4.0625 inches, including two removable positioning tabs. Long dimension with tabs removed is 3.25 inches. Two tabs on each strip for easy application and removal. Perforated tabs can be removed or sealed around plate edge. Can be used as secondary seal to cover films that have been pierced.</p>	39
MAF210	200	<p>SealPlate sterile ministrips film MiniStrips sterile films are identical to SealPlate films, but designed for sealing only one or two 8-well rows at a time on either strip-well plates or standard plates whenever rows must be selectively protected or accessed. Each film is 0.75 x 4.0625 inches, including two removable positioning tabs. Long dimension with tabs removed is 3.25 inches. Two tabs on each strip for easy application and removal. Perforated tabs can be removed or sealed around plate edge. Can be used as secondary seal to cover films that have been pierced. Sterile product packaged in tamper-evident bags of 50.</p>	49
MAP3196C	25	<p>96 well reaction plate, non-skirted, clear, case of 25 Suitable for 0.2 ml thermal cycler blocks, 96-well PCR plate, 0.3 ml maximum well volume (when used with adhesive and heat seals), cut-away corner, fits all 0.2 ml thermal cyclers and ABI PRISM 310, 3100 and 3700 capillary sequencers, cClear well bottom for sample visibility, highly rigid plate deck, sealable using thermo-mats, adhesive films and foils, heat seals and flat and domed cap strips, also available in opaque black and white for fluorescent and luminescent based procedures.</p>	98
MAP900	25	<p>96 well reaction plate, semi-skirt, clear, case of 25 The semi-skirt provides superior rigidity to our non-skirted plates and provides space for bar-coding. The patented segmented design of this plate allows it to be cut into 24 and 48 well sections</p>	98
MAP950C	25	<p>96 well reaction plate, skirted, low profile, clear, case of 25 The full skirt surround provides an even surface for robotic arms to grip making plate suitable for use with automated systems, both before and after PCR. The low profile design enhances the efficiency of PCR.</p>	98
MAP96AD	1	<p>96 well microtitre plate adaptor for 3700, each</p>	124
MAF300	100	<p>ThermalSeal film for PCR A 2 mil heat-resistant polypropylene film designed for thermal cycling applications, ThermalSeal is now produced with a slightly stronger adhesive than the original product for better adherence to plates. Each film measures 3.125 x 5.320 inches and offers sufficient sealing area for all PCR plates. Length between the perforations with end-tabs removed is 4.845 inches. ThermalSeal is not pierceable. For applications where piercing with pipette tips or robotic probes is required for product recovery, see MAF100 and MAF110. For real-time PCR applications where maximum optical clarity is required, see MAF800 and MAF850. Heat resistant, recommended for temperatures from -40° C to +125° C. Certified DNase-, RNase-, and nucleic-acid-free.</p>	62

MAF310	100	<p>ThermalSeal sterile film for PCR</p> <p>A 2 mil heat-resistant polypropylene film designed for thermal cycling applications, ThermalSeal is now produced with a slightly stronger adhesive than the original product for better adherence to plates. Each film measures 3.125 x 5.320 inches and offers sufficient sealing area for all PCR plates. Length between the perforations with end-tabs removed is 4.845 inches. ThermalSeal is not pierceable. For applications where piercing with pipette tips or robotic probes is required for product recovery, see MAF100 and MAF110. For real-time PCR applications where maximum optical clarity is required, see MAF800 and MAF850. Heat resistant, recommended for temperatures from -40° C to +125° C. Certified DNase-, RNase-, and nucleic-acid-free. Sterile</p>	83				
MAF400	100	<p>TuffSeal film for processing, storage & transport of samples</p> <p>A tough, puncture-proof, light-blocking 2 mil non-permeable metalized polyester film with medical-grade adhesive designed for processing, storage and transport of plates, TuffSeal film protects the contents of each well and eliminates evaporation, cross-contamination and leakage. Excellent chemical and humidity resistance. Attractive reflective, mirror like appearance. Dimensions 3.25 x 5.625 inches for sealing all standard-size plates. Easy to apply and remove, no tendency to roll back during application. Strong pressure-sensitive adhesive provides reliable seal under all conditions. Tougher than metal foils, will not tear, rip, or puncture, idea for stacking. Recommended for temperatures from -40° C to +120° C</p>	64				
MAF410	50	<p>TuffSeal film, sterile, for processing, storage & transport of samples</p> <p>A tough, puncture-proof, light-blocking 2 mil non-permeable metalized polyester film with medical-grade adhesive designed for processing, storage and transport of plates, TuffSeal film protects the contents of each well and eliminates evaporation, cross-contamination and leakage. Excellent chemical and humidity resistance. Attractive reflective, mirror like appearance. Dimensions 3.25 by 5.625 inches for sealing all standard-size plates. Easy to apply and remove, no tendency to roll back during application. Strong pressure-sensitive adhesive provides reliable seal under all conditions. Tougher than metal foils, will not tear, rip, or puncture, ideal for stacking. Recommended for temperatures from -40° C to +120° C. Sterile</p>	43				
MAF500	100	<p>SealPlate film for ELISA, EIA, and similar assays</p> <p>SealPlate 2 mil polyester films minimize evaporation, prevent spillage and contamination between wells, and provide a secure seal, not just a cover. Secure sealing of all wells eliminates „edge effects“ in sensitive ELISA assays. SealPlate films can also be used with tissue-culture plates for short-term storage, incubation, and contain-</p>	41				
					ment of biohazards. SealPlate films are non-pierceable. Each film measures 3.125 x 5.75 inches. Functional temperature range from -40° C to +120° C		
				MAF510	100	<p>SealPlate film, sterile, for ELISA, EIA, and similar assays</p> <p>SealPlate sterile 2 mil polyester films minimize evaporation, prevent spillage and contamination between wells, and provide a secure seal, not just a cover. Secure sealing of all wells eliminates edge effects in sensitive ELISA assays. SealPlate films can also be used with tissue-culture plates for short-term storage, incubation, and containment of biohazards. SealPlate films are non-pierceable. Each film measures 3.125 x 5.75 inches. Functional temperature range from -40° C to +120° C</p>	62
				MAF550	100	<p>ThinSeal film, ultrathin, for ELISA, EIA, and similar assays</p> <p>ThinSeal 1 mil ultrathin polyester films minimize evaporation, prevent spillage and contamination between wells, and provide a secure seal, not just a cover. Secure sealing of all wells eliminates „edge effects“ in sensitive ELISA assays. SealPlate films can also be used with tissue-culture plates for short-term storage, incubation, and containment of biohazards. ThinSeal polyester films are just 1 mil thick, clearer and marginally pierceable with single-channel pipettes for sample recovery. ThinSeal dimensions are 3.125 x 5.55 inches. Functional temperature range from -40° C to +120° C</p>	55
				MAF560	100	<p>ThinSeal film, ultrathin, sterile, for ELISA, EIA, and similar assays</p> <p>ThinSeal sterile 1 mil ultrathin polyester films minimize evaporation, prevent spillage and contamination between wells, and provide a secure seal, not just a cover. Secure sealing of all wells eliminates „edge effects“ in sensitive ELISA assays. SealPlate films can also be used with tissue-culture plates for short-term storage, incubation, and containment of biohazards. ThinSeal polyester films are just 1 mil thick, clearer and marginally pierceable with single-channel pipettes for sample recovery. ThinSeal dimensions are 3.125 x 5.55 inches. Functional temperature range from -40° C to +120° C</p>	72
				MAF700	100	<p>AeraSeal film for cell and tissue culture</p> <p>Composed of 4.5 mil hydrophobic porous film with medical-grade adhesive for sealing tissue culture plates, bio-blocks, and 96-well plates where air and gas exchange are necessary for cell growth or bacterial cultivation, AeraSeal films minimize well-to-well cross-contamination, sample spillage and evaporation. They allow uniform air and CO₂ exchange for all wells and are thus superior to plate lids which favor exchange for wells near plate edges. Dimensions 3.25 by 5.625 inches for sealing standard-size tissue culture plates. Non-cytotoxic, highly gas permeable. Easily pierceable with pipette tips or pipettes for sample recovery. For temperatures from -20° C to +80° C.</p>	81

MAF710	50	<p>AeraSeal film, sterile, for cell and tissue culture</p> <p>Composed of 4.5 mil hydrophobic porous film with medical-grade adhesive for sealing tissue culture plates, bio-blocks, and 96-well plates where air and gas exchange are necessary for cell growth or bacterial cultivation, AeraSeal films minimize well-to-well cross-contamination, sample spillage and evaporation. They allow uniform air and CO₂ exchange for all wells and are thus superior to plate lids which favor exchange for wells near plate edges. Dimensions 3.25 by 5.625 inches for sealing standard-size tissue culture plates. Non-cytotoxic, highly gas permeable. Easily pierceable with pipette tips or pipettes for sample recovery. Recommended for temperatures from -20° C to +80° C. Sterile.</p>	57
MAF800	100	<p>ThermalSeal RT films for Real-Time PCR, 2 mil thickness</p> <p>ThermalSeal RT films combine an optically transparent polyester film with a strong, ultra-smooth, non-absorbing, non-fluorescing medical-grade adhesive for superior performance in real-time PCR applications. In place of the customary paper backing, ThermalSeal RT have a plastic liner which is easily removed before use and contributes smoothness and extreme optical clarity to the adhesive. Dimensions 3.125 x 5.625 inches for sealing PCR plates. Length between the perforations with end-tabs removed is 4.80 inches. Brilliant ultra-high optical clarity. 2 mil thickness. For more rigid 5 mil thickness, see MAP850. Heat resistant, recommended for temperatures from -40° C to +120° C. Certified DNase-, RNase-, and nucleic-acid- free.</p>	129
MAF850	100	<p>ThermalSeal RT films for Real-Time PCR, 5 mil thickness</p> <p>ThermalSeal RT films combine an optically transparent polyester film with a strong, ultra-smooth, non-absorbing, non-fluorescing medical-grade adhesive for superior performance in real-time PCR applications. In place of the customary paper backing, ThermalSeal RT have a plastic liner which is easily removed before use and contributes smoothness and extreme optical clarity to the adhesive. Dimensions 3.125 x 5.625 inches for sealing PCR plates. Length between the perforations with end-tabs removed is 4.80 inches. Brilliant ultra-high optical clarity. 5 mil thickness. For thinner 2 mil thickness, see MAP800. Heat resistant, recommended for temperatures from -40° C to +120° C. Certified DNase-, RNase-, and nucleic-acid- free.</p>	146
MAFROLL	1	<p>Film roller for secure film sealing</p> <p>Roller, 4" soft rubber, for secure film sealing</p>	36

MicroArray products



New ArrayPlate for performing 96 different arrays on one plate

Cat. No.	Pack size	Name/Description	Price (\$)
AHT96-01	1	<p>The new ArrayPlate (patent pending) contains 96 separate wells for primer extension studies. The epoxy coated glass plate is detachable from the rest of the chamber for superior spotting and scanning flexibility. Each subarray measures 7.7 mm x 7.7 mm, providing maximum printable real estate (up to 2000 elements per section) as well as conforming to robotic liquid handling platforms. In addition to epoxy coating, we offer aldehyde, lysine, and other popular coatings. Requires scanners which can read plates. Please inquire.</p>	501
AHF16	1	<p>ArraySlide 16 chamber with rectangular openings for 1 slide</p> <p>ArraySlide 16 chamber fits one microarray slide rectangular openings for 1 slide and sections it into 16 individual surfaces for multiple simultaneous protein, gene expression, or screening analysis studies. Unit includes lower carrier tray, upper structure plate, and gasket (patent pending). Unlike other systems, this device utilizes a compression fit gasket, eliminating the presence of contaminating adhesives. The 7 mm x 7 mm surfaces are positioned 9 mm apart in a 2 x 8 format for easy loading by multi-channel pipettes or automated robots. The chamber itself is made from a durable, flat, precision machined aluminum to ensure proper slide alignment and leak-free arrays. The top chamber face is embossed with a letter and number panel for easy identification of each subarray. For higher throughput needs, the ArraySlide 24 (1 glass plate), ArraySlide 16-4 (4 slides in one chamber), ArraySlide 24-4 (4 slides in one chamber) and the ArrayPlate 96 (1 glass plate) systems are available.</p>	306
AHS16-4	1	<p>ArraySlide 16-4 chamber with rectangular openings for 4 slides</p> <p>ArraySlide 16-4 chamber, including lower carrier tray, upper structure plate, and gasket (patent pending) to hold 4 slides, 16 sections per slide, for 64 total independent arraying surfaces.</p>	553
AHF24	1	<p>ArraySlide 24 chamber with round openings for 1 slide</p> <p>ArraySlide 24 chamber fits one microarray slide and sections it into 24 individual surfaces for multiple simultaneous protein, gene expression, or screening analysis studies. Unit includes lower carrier tray, upper structure plate, septamat, and gasket (patent pending). Unlike other systems, this device utilizes a compression fit gasket, eliminating the presence of contaminating adhesives. The 6 mm x 7 mm round openings are positioned 9 mm apart in a 3 x 8 format</p>	306

		for easy loading by multi-channel pipettes or automated robots. The chamber itself is made from a durable, flat, precision machined aluminum to ensure proper slide alignment and leak-free arrays. The top chamber face is embossed with a letter and number panel for easy identification of each subarray. A pierceable septamat fills the array loading holes to help prevent evaporation. For higher throughput needs, the ArraySlide 16-4 (4 slides in one chamber), ArraySlide 24-4 (4 slides in one chamber) and the ArrayPlate 96 (1 glass plate) systems are available.	
AHM24-4	1	ArraySlide 24-4 chamber with round openings for 4 slides ArraySlide 24-4 chamber, including lower carrier tray, upper structure plate, septamat, and gasket (patent pending) to hold 4 slides, 24 sections perslide, for 96 total independent arraying surfaces	553
AHS24-4	1	ArraySlide 24-4 chamber with rectangular openings for 4 slides ArraySlide 24-4 chamber, including lower carrier tray, upper structure plate, and gasket (patent pending) to hold 4 slides, 24 sections per slide, for 96 total independent arraying surfaces	553
AHT96-01	1	ArrayPlate chamber with round openings for 1 plate ArrayPlate chamber, including lower carrier tray, upper structure plate, and gasket (patent pending) to hold 1 plate for 96 total independent arraying surfaces	501
AUA16	1	ArraySlide gasket Gasket designed for 16 (7 x 7 mm) subsections	21
AUA24	1	ArraySlide gasket Gasket designed for 24 (6 x 7 mm) subsections	26
AUA24-4S	1	ArraySlide gasket for AHS24-4 Gasket designed for slide chamber with 96 rectangular openings	163
AUA24-4M	1	ArraySlide gasket for AHM24-4 Gasket designed for slide chamber with 96 round openings	163
AUA96	1	ArraySlide gasket Gasket designed for 96 (7 x 7 mm) subsections	169

Liquid handling



Neon pipettes

Cat. No.	Pack size	Name/Description	Price (\$)
QDLP1000	1	Brilliant Blue 100 µl-1000 µl adjustable pipettor, standard stem Brilliant Blue P1000 standard length pipettor: 100 µl-1000 µl adjustable volume. Precision: +/-0.8% @ 1000 µl, +/-3% @ 200 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP1000B-R) as they are the lowest prices around.	129

QDLP10	1	Painted Pink 2.0 µl-10 µl adjustable pipettor, standard stem Painted Pink P10 standard length pipettor: 1 µl - 20 µl adjustable volume. Precision: +/-1% @ 10 µl, +/-2.5% @ 2 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP10-R) as they are the lowest prices around.	129
QDLP200	1	Overt Orange 20 µl-200 µl adjustable pipettor, standard stem Overt Orange P200 standard length pipettor: 10µl - 200 µl adjustable volume. Precision: +/-0.8% @ 200 µl, +/-2.5% @ 20 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP200Y-R) as they are the lowest prices around.	129
QDLP20	1	Plum Purple 2.0 µl - 20 µl adjustable pipettor, standard stem Plum Purple P20 standard length pipettor: 1µl - 20µl adjustable volume. Precision: +/-1% @ 20 µl, +/-5% @ 2 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP20-R) as they are the lowest prices around.	129
QDLPSET	5	Set of all five pipettors This new stylish family of adjustable pipettes comes in different flavors for each size: Grassy Green P2, Painted Pink P10, Plum Purple P20, Overt Orange P200, and Brilliant Blue P1000. All pipettes are light-weight (approximately 3 ounces) and can be calibrated. The handle design utilizes contoured finger molds and each pipettor is available in a short stem or long stem configuration. Each color of pipettor in the picture represents a different volume range.	519
QDSP02	1	Grassy Green 0.5 µl-2.0 µl adjustable pipettor, mini Grassy Green P2 short length pipettor: 0.1 µl - 2.0 µl adjustable volume. Precision: +/-5% @ 2 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP02-R) as they are the lowest prices around.	129
QDSP1000	1	Brilliant Blue 200 µl-1000 µl adjustable pipettor, mini Brilliant Blue P1000 short length pipettor: 100µl - 1000µl adjustable volume. Precision: +/-0.8% @ 1000 µl, +/-3% @ 200 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP1000B-R) as they are the lowest prices around.	129
QDSP10	1	Painted Pink 2.0 µl-10 µl adjustable pipettor, mini Painted Pink P10 short length pipettor: 1 µl - 20 µl adjustable volume. Precision: +/-1% @ 10 µl, +/-2.5% @ 2 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP10-R) as they are the lowest prices around.	129
QDSP200	1	Overt Orange 20µl-200 µl adjustable pipettor, mini Overt Orange P200 short length pipettor: 10µl - 200 µl adjustable volume. Precision: +/-0.8% @ 200 µl, +/-2.5% @ 20 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP200Y-R) as they are the lowest prices around.	129

QDSP20	1	Plum Purple 2.0 µl - 20 µl adjustable pipettor, mini Plum Purple P20 short length pipettor: 1 µl - 20 µl adjustable volume. Precision: +/-1% @ 20 µl, +/-5% @ 2 µl. These pipettes use standard pipette tips, but take a look at our tip prices (TP20-R) as they are the lowest prices around.	129
QDSPSET	5	Set of all five pipettors Set of all 5 short length pipettors: Grassy Green P2, Painted Pink P10, Plum Purple P20, Overt Orange P200 and Brilliant Blue P1000.	519
QDX-01	1	Tool for calibrating pipettors Calibration tool for adjusting our NEON pipettors	46
RCB20	1	Membrane comb holding rack, 20 slots Plastic rack for holding up to 20 membrane combs. This rack is made of durable black ABS plastic and measures 21.5 cm x 8 cm x 8 cm.	47

DNA Sequencing array regeneration



Capillary array regeneration

Regenerate • Recycle • Reuse
increase the number of usages from your capillary array

Send us your expired array ABI3730XL and/or ABI3100/3130 – an we will regenerate it back to its full use for just a fraction of the cost of a brand new capillary array. Comes with the same warranty as a brand new array.

Arrays can be regenerated multiple times. For best results, send us your array as soon as it comes off the sequencer or store the arrays wet before shipping.

- send and receive the same array, regenerated
- arrays come back clean and dry
- can be stored until ready to use

Cat. No.	Pack size	Name/Description	Price (\$)
CAT# AR3100-4	1	4 capillary array	228
CAT# AR3100-16	1	16 capillary array	260
CAT# AR3730-48	1	48 capillary array	650
CAT# AR3730-96	1	96 capillary array	1,170



DNA sequencing consumables for Applied Biosystems DNA Sequencers

Cat. No.	Pack size	Name/Description	Price (\$)
MRK1000	1	Genescan ROX ladder, 50 - 1000 bp, 800 assays Genescan ROX ladder, 50 - 1000 bp, 800 assays. Fragment sizes: 50, 75, 100, 125, 200, 250, 300, 350, 400, 450, 475, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000	514
MRK400	1	Genescan ROX ladder, 50 - 1000bp Genescan ROX ladder, 70 - 400 bp, 800 assays. Fragment sizes: 70, 80, 90, 100, 120, 140, 160, 180, 190, 200, 220, 240, 260, 280, 300, 320, 340, 360, 380, 400	345
MRK500	1	Genescan ROX ladder, 50 - 1000 bp Genescan ROX ladder, 50 - 500 bp, 800 assays. Fragment sizes: 70, 80, 90, 100, 120, 140, 160, 180, 190, 200, 220, 240, 260, 280, 300, 320, 340, 360, 380, 400, 425, 450, 475, 490, 500	345
SET500	500	Sample Tubes, 0.5 ml, for ABI310	47
DAD-025	1	10X Genetic analyzer buffer, 50 - 1000 bp, 800 assays 10X Genetic Analyzer Buffer, 310, w/EDTA, used w/POP-6, 25 ml	72
DAF-10	1	BetterBuffer BigDye™ dilution buffer, 10 x 0.3 ml Now you can dilute BigDye™ 5:1 for dterminator sequencing! BetterBuffer enhances binding of primers and increases polymerase performance, especially with GC rich templates. This dilution / enhancement buffer is optimized for use with BigDye™ Terminator Cycle Sequencing with the 377, 3100, 3700, 3730. Mix 5µl of BetterBuffer with 1 µl of BigDye™ Terminator mix. Add DNA and primers to a final volume of 15 µl. BetterBuffer: 5 x 0.3 ml tubes. Store at -20° C.	410
DAF-5	1	BetterBuffer BigDye™ dilution buffer, 5 x 0.3 ml Now you can dilute BigDye™ 5:1 for dterminator sequencing! BetterBuffer enhances binding of primers and increases polymerase performance, especially with GC rich templates. This dilution / enhancement buffer is optimized for use with BigDye™ Terminator Cycle Sequencing with the 377, 3100, 3700, 3730. Mix 5µl of BetterBuffer with 1 µl of BigDye™ Terminator mix. Add DNA and primers to a final volume of 15µl. BetterBuffer: 5 x 0.3 ml tubes. Store at -20° C.	254

Accessories for Applied Biosystems 310

Cat. No.	Pack size	Name/Description	Price (\$)
IAD47-05	5	Capillaries, 47 cm, 310, internally uncoated, fused silica (5)	208
IAD61-02	2	Capillaries, 61 cm, 310, internally uncoated, fused silica (2)	109
SEP05-500	500	Septa for 0.5 ml tubes, ABI310	150



Accessories for Applied Biosystems 3100, 3130, 3130XL Sequencers

Cat. No.	Pack size	Name/Description	Price (\$)
DAX-025	1	10x Genetic analyzer buffer, 3100, w/EDTA, 25 ml	72
DAX-1	1	10x Genetic analyzer buffer, 3100, w/EDTA, 1 L	176
DFM-025	1	Formamide, deionized, sequencing grade	27
DWW-025	1	Water, deionized, Dnase & Rnase free, sequencing grade	17
SEP96-20	20	Septamat for ABI3100, 3130, 3730	234
MAP100C	25	96 well PCR detection plate, raised skirt, clear, case of 25 Specifically designed to be directly compatible with all major thermal cyclers including all ABI instruments. This plate can be used directly in ABI 96-well sequencers with no adapters necessary.	98

Accessories for Applied Biosystems 3100, 3730, 3730XL Sequencer

Cat. No.	Pack size	Name/Description	Price (\$)
DAB-01	1	Goldmine 10X CE running buffer w/EDTA, 10x, 1 L	176
DAB-02	1	Goldmine 10X CE running buffer w/EDTA, 10x, 3700, 2 L	338
MAP384	50	384 well PCR plate, polypropylene, skirted, case of 50 Designed for high-throughput PCR. This 384-well plate is compatible with the majority of 384 block PCR and sequencing instruments. The full skirt and rigid plate deck minimise distortion during PCR making it suitable for use with robotic systems. A modified version (MAP384XL) is available for use with the ABI 3730 sequencer.	215
GC3730	1	Clear heat sealing film, 3730 pierceable 370 meter roll, compatible with Abgene ALPS 300, automated heat sealer	709
GC3799	1	Clear heat sealing film, 370 meter roll, compatible with Abgene ALPS 300 automated heat sealer	728
MAP384XL	50	384 well PCR plate for ABI 3730, clear, case of 50 Specifically designed to be directly compatible with ABI 3730.	215

Accessories for 377 Sequencers

Cat. No.	Pack size	Name/Description	Price (\$)
DAG25	1	Membrane loading solution for genotyping, 25 ml	85
DAL25	1	Membrane loading solution for sequencing, 25 ml	85
CAC73-020	1	ABI Casting Comb, 7.3 mm depth, 0.2 mm thick, 96 upgrade	59
CAK48-020	1	ABI 48 lane sharktooth comb, 0.2 mm thick	72
CAK64-020	1	ABI 64 lane sharktooth comb, 0.2 mm thick	72
CAK96U-020	1	ABI 96 lane sharktooth comb, 0.2 mm thick, 96 upgrade	72
CAK96U-040	1	ABI 96 lane sharktooth comb, 0.4 mm thick, 96 upgrade	72
CAM48	10	ABI 48 lane porous membrane comb, 3.0 mm spacing, 10 pack	68
CAM64	10	ABI 64 lane porous membrane comb, 2.2 mm spacing, 0.2 mm thick, 10 pack	83
CAM96	10	ABI 96 lane porous membrane comb, 96 upgrade, 10 pack	98
GA042N	1	ABI 36 cm WTR notched front plate	299
GAT42N	1	ABI 36 cm WTR trough front plate, 96 upgrade	312
SAL42-020	2	ABI 36 cm WTR spacer, lightning bolt, 0.2 mm thick, 1 set	52

Accessories for Molecular Dynamics Megabace Sequencer

Cat. No.	Pack size	Name/Description	Price (\$)
DAM-01	1	Mercury CE running buffer 10x, 1 L	195
DEH100	1	Dynamic capillary array coating for MegaBACE capillaries (100 mls) capillaries. Used as a coating to be injected prior to each run. The dynamic coating yields superior data, avoiding the data loss from degrading statically coated capillaries. Arrays last longer and signal is stronger. Ships in 100 ml pack size	234



Cuvettes for Bio-Rad electroporation systems GenePulser and MicroPulser

Cat. No.	Pack size	Name/Description	Price (\$)
EPC001	50	<p>Electroporation cuvettes, 1 mm, sterile Maximize molecular electroporation and electrofusion efficiencies. Designed for bacteria, yeast, insect, plant and mammalian cells. Each batch of cuvettes are quality tested for optimal and reproducible impedance measurements.</p> <p>Compatible with Bio-Rad's - GenePulser/MicroPulser Cuvettes and most electroporation systems. Cap design enables improved aseptic handling techniques, while the lip and positive seal reduces possible contamination. All 1 mm and 2 mm cuvettes have tapered v-bottom to minimize dead volumes.</p>	140
EPC002	50	<p>Electroporation cuvettes, 2 mm, sterile Maximize molecular electroporation and electrofusion efficiencies. Designed for bacteria, yeast, insect, plant and mammalian cells. Each batch of cuvettes are quality tested for optimal and reproducible impedance measurements.</p> <p>Compatible with Bio-Rad's - GenePulser/MicroPulser cuvettes and most electroporation systems. Cap design enables improved aseptic handling techniques, while the lip and positive seal reduces possible contamination. All 1 mm and 2 mm cuvettes have tapered v-bottom to minimize dead volumes.</p>	140
EPC004	50	<p>Electroporation cuvettes, 4 mm, sterile Maximize molecular electroporation and electrofusion efficiencies. Designed for bacteria, yeast, insect, plant and mammalian cells. Each batch of cuvettes are quality tested for optimal and reproducible impedance measurements.</p> <p>Compatible with Bio-Rad's - GenePulser/MicroPulser Cuvettes and most electroporation systems. Cap design enables improved aseptic handling techniques, while the lip and positive seal reduces possible contamination.</p>	140



Accessories for protein and DNA electrophoresis units

Accessories for Bio-Rad Protean II

Cat. No.	Pack size	Name/Description	Price (\$)
MAB-04	4	Gel Temperature Strips, 6 cm - reusable and accurate (4)	31
RLB-10	1	Safeplate Rack 27 x 15 x 19 cm, Black ABS, 10 slot, reusable and accurate (4)	72
EJA331-050	50	Precut porous cellophane sheets for drying gels, 30 x 30 cm, 50 sheets	33
EJA331-100	100	Precut porous cellophane sheets for drying gels, 30 x 30 cm, 100 sheets	52
EJA345-050	50	Precut porous cellophane sheets for drying gels, 35 x 45 cm, 50 sheets	42
EJA345-100	100	Precut porous cellophane sheets, for drying gels, 35 x 45 cm, 100 sheets	65
FGH10	10	Precut gel handling film, 8.5 x 11 inches optically clear, 10 sheets. This film helps transport gels as well as protects UV illuminators and fluorescent imagers. The material holds your gel, but is also optically clear to allow for the transmission of UV or fluorescent light. The film is resistant to most chemicals.	52
BBS50	50	Filter blotting paper (thick) This thick filter paper is used for Western blotting of mini-gels in transfer cassettes. This material is free of contaminants, and there are 50 (7.5 cm x 10 cm) sheets in each pack.	33
RSB-20	1	Safeplate rack 21 x 8 x 8 cm Black ABS, 20 slots	38
BBS1515-50	50	Filter blotting paper (thick) This thick filter paper is used for Western blotting of mini-gels in transfer cassettes. This material is free of contaminants, and there are 50 (15 cm x 15 cm) sheets in each pack.	49
BS-25	50	Porous sterile covers for microtiter plates 50 sheets	55
MJH-1	1	Detachable handle 11 cm, yellow grip guards	22
MJJ-4	1	Power wedge, 4 x 6 cm finish angled ramp (4), ramp (4)	40

Plates for Bio-Rad PROTEAN II

Cat. No.	Pack size	Name/Description	Price (\$)
GBL16B-2S	4	16 cm cell, inner & outer plates, 2 sets	43
GBL16B-5S	10	16 cm cell, inner & outer plates, 5 sets	88
GBL16L-2	4	16 cm cell, 18.3 x 20 cm outer plate (2)	26
GBL16L-5	10	16 cm cell, 18.3 x 20 cm outer plate (5)	52
GBL16S-2	4	16 cm cell, 16 x 20 cm inner plate (2)	26
GBL16S-5	10	16 cm cell, 16 x 20 cm inner plate (5)	52
GBL20B-2S	4	20 cm cell, inner & outer plates, 2 sets	43

GBL20B-5S	10	20 cm cell, inner & outer plates, 5 sets	60
GBL20L-2	4	20 cm cell, 22.3 x 20 cm outer plate (2)	26
GBL20L-5	10	20 cm cell, 22.3 x 20 cm outer plate (5)	48
GBL20S-2	4	20 cm cell, 20 x 20 cm inner plate (2)	26
GBL20S-5	10	20 cm cell, 20 x 20 cm inner plate (5)	48
GBO16B-1S	2	16 cm cell, inner & outer plates, optically clear, 1 set	98
GBO20B-1S	2	20 cm cell, inner & outer plates, optically clear, 1 set	124

Combs Bio-Rad PROTEAN II

Cat. No.	Pack size	Name/Description	Price (\$)
CBL10-075	1	10 lane, 0.75 mm thick comb (Bio-Rad catalog #165-1876) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL10-100	1	10 lane, 1.0 mm thick comb (Bio-Rad catalog #165-1877) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL10-150	1	10 lane, 1.5 mm thick comb (Bio-Rad catalog #165-1878) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL15-075	1	15 lane, 0.75 mm thick comb (Bio-Rad catalog #165-1871) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL15-100	1	15 lane, 1.0 mm thick comb (Bio-Rad catalog #165-1872) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL15-150	1	15 lane, 1.5 mm thick comb (Bio-Rad catalog #165-1873) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL18-075	1	18 lane comb, 0.75 mm thick for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL18-100	1	18 lane comb, 1.0 mm thick comb for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL18-150	1	18 lane comb, 1.5 mm thick for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL20-075	1	20 lane comb, 0.75 mm thick (Bio-Rad catalog #165-1866) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL20-100	1	20 lane comb, 1.0 mm thick (Bio-Rad catalog #165-1867) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL20-150	1	20 lane comb, 1.5 mm thick (Bio-Rad catalog #165-1868) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39

CBL25-075	1	25 lane comb, 0.75 mm thick (Bio-Rad catalog #165-1861) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL25-100	1	25 lane comb, 1.0 mm thick (Bio-Rad catalog #165-1862) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL25-150	1	25 lane comb, 1.5 mm thick (Bio-Rad catalog #165-1861) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL30-075	1	30 lane comb, 0.75 mm thick for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL30-100	1	30 lane comb, 1.0 mm thick for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBL30-150	1	30 lane comb, 1.5 mm thick for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBLDR-075	1	Dual reference comb, 0.75 mm thick, for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBLDR-100	1	Dual reference comb, 1.0 mm thick for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBLDR-150	1	Dual reference comb, 1.5 mm thick for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBLSR-075	1	Single reference comb, 0.75 mm thick for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBLSR-100	1	Single reference comb, 1.0 mm thick (Bio-Rad catalog #165-1897) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBLSR-150	1	Single reference comb, 1.5 mm thick (Bio-Rad catalog #165-1898) for the Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	39
CBXLSR-100	1	Single reference 2D comb for PROTEANXL, 1.0 mm thick Must be used with special thin spacers: Cat# SBXL20-100.	33

Spacers for Bio-Rad PROTEAN II

Cat. No.	Pack size	Name/Description	Price (\$)
SBL16-075	2	18.3 cm spacer, 0.75 mm thick spacer, 1 set (Bio-Rad catalog #165-1842) for the Bio-Rad PROTEAN II, 1 set (package of 2 spacers).	26
SBL16-100	2	18.3 cm spacer, 1.0 mm thick, 1 set (Bio-Rad catalog #165-1843) for the Bio-Rad PROTEAN II, 1 set (package of 2 spacers).	26

SBL16-150	2	18.3 cm spacer, 1.5 mm thick, 1 set (Bio-Rad catalog #165-1844) for the Bio-Rad PROTEAN II, 1 set (package of 2 spacers).	26
SBL20-075	2	22.3 cm spacer, 0.75 mm thick, 1 set (Bio-Rad catalog #165-1847) for the Bio-Rad PROTEAN II, 1 set (package of 2 spacers).	26
SBL20-100	2	22.3 cm spacer, 1.0 mm thick, 1 set (Bio-Rad catalog #165-1848) for the Bio-Rad PROTEAN II, 1 set (package of 2 spacers).	26
SBL20-150	2	22.3 cm spacer, 1.5 mm thick, 1 set (Bio-Rad catalog #165-1849) for the Bio-Rad PROTEAN II, 1 set (package of 2 spacers).	26
SBR30-025	2	30 cm vinyl spacer, 0.25 mm thick, 1 set	30
SBXL20-100N	2	22.3 cm spacer, IPG strip format, 1.0 mm thick, 0.8 cm wide for xi to XL conversion spacer (Bio-Rad catalog #165-1836) for the Bio-Rad PROTEAN II, 1 set (package of 2 spacers). These spacers increase the gel width to 18.5 cm, which is required to accept the 17 cm ReadyStrip IPG strip for the second dimension of a 2D gel run. For use with IPG comb: Cat# CBXLSR-100.	31

Combs for Bio-Rad Mini-PROTEAN II

Cat. No.	Pack size	Name/Description	Price (\$)
CBS05-075	1	5 lane comb, 0.75 mm thick (Bio-Rad catalog #165-2916) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS05-100	1	5 lane comb, 1.0 mm thick (Bio-Rad catalog #165-2917) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS05-150	1	5 lane comb, 1.5 mm thick (Bio-Rad catalog #165-2918) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS10-075	1	10 lane comb, 0.75 mm thick (Bio-Rad catalog #165-2920) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS10-100	1	10 lane comb, 1.0 mm thick (Bio-Rad catalog #165-2921) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS10-150	1	10 lane comb, 1.5 mm thick (Bio-Rad catalog #165-2922) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS12-075	1	12 lane comb, 0.75 mm thick for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS12-100	1	12 lane comb, 1.0 mm thick for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS12-150	1	12 lane comb, 1.5 mm thick for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27

CBS15-075	1	15 lane comb, 0.75 mm thick (Bio-Rad catalog #165-2924) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS15-100	1	15 lane comb, 1.0 mm thick (Bio-Rad catalog #165-2925) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS15-150	1	15 lane comb, 1.5 mm thick (Bio-Rad catalog #165-2926) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS20-075	1	20 lane comb, 0.75 mm thick for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS20-100	1	20 lane comb, 1.0 mm thick for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBS20-150	1	20 lane comb, 1.5 mm thick for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBSDR-150	1	Dual Reference comb, 1.5 mm thick for the Mini-Bio-Rad PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBSSR-075	1	Single Reference comb, 0.75 mm thick (Bio-Rad catalog #165-2927) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBSSR-100	1	Single Reference comb, 1.0 mm thick (Bio-Rad catalog #165-2928) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27
CBSSR-150	1	Single Reference comb, 1.5 mm thick (Bio-Rad catalog #165-2929) for the Bio-Rad Mini-PROTEAN II. Our combs are made from 100% virgin Teflon and are burr free.	27

Plates for Bio-Rad Mini-PROTEAN II

Cat. No.	Pack size	Name/Description	Price (\$)
GBS07B-5S	10	Inner & outer plates, 5 sets	40
GBS07L-10	10	8.3 x 10.2 cm outer plate	36
GBS07L-5	5	8.3 x 10.2 cm outer plate	23
GBS07S-10	10	7.3 x 10.2 cm inner plate	36
GBS07S-5	5	7.3 x 10.2 cm inner plate	23

Spacers for Bio-Rad Mini-PROTEAN II

Cat. No.	Pack size	Name/Description	Price (\$)
SBS08-075	2	8 cm spacer (8.8 cm actual length), 0.75 mm thick spacer (Bio-Rad catalog #165-2931) for the Bio-Rad Mini-PROTEAN II, 1 set (package of 2 spacers).	17
SBS08-100	2	8 cm spacer (8.8 cm actual length), 1.0 mm thick spacer (Bio-Rad catalog #165-2932) for the Bio-Rad Mini-PROTEAN II, 1 set (package of 2 spacers).	17

SBS08-150	2	8 cm spacer (8.8 cm actual length), 1.5 mm thick spacer (Bio-Rad catalog # 165-2933) for the Bio-Rad Mini-PROTEAN II, 1 set (package of 2 spacers).	17
SBXL20-100N	2	22.3 cm spacer, IPG strip format 1.0 mm thick spacer (Bio-Rad catalog # 165-1836) for the Bio-Rad PROTEAN II, 1 set (package of 2 spacers). These spacers increase the gel width to 18.5 cm, which is required to accept the 17 cm ReadyStrip IPG strip for the second dimension of a 2d gel run. For use with IPG comb: Cat# CBXLSR-100.	31

Combs for Bio-Rad Mini-PROTEAN III

Cat. No.	Pack size	Name/Description	Price (\$)
CBU05-075	1	5 lane comb, 0.75 mm thick (Bio-Rad catalog #165-3352) for the BIO-RADBio-Rad	27
CBU05-100	1	5 lane comb, 1.0 mm thick (BIO-RAD catalog #165-3357) for the BIO-RAD Mini-PROTEAN III.	27
CBU05-150	1	5 lane comb, 1.5 mm thick (BIO-RAD catalog #165-3363) for the BIO-RAD Mini-PROTEAN III.	27
CBU09-075	1	9 lane comb, 0.75 mm thick (Bio-Rad catalog #165-3353) for the Bio-Rad Mini-PROTEAN III.	13
CBU09-100	24	9 lane comb, 1.0 mm thick (Bio-Rad catalog #165-3358) for the Bio-Rad Mini-PROTEAN III.	13
CBU09-150	24	9 lane comb, 1.5 mm thick (Bio-Rad catalog #165-3364) for the Bio-Rad Mini-PROTEAN III.	13
CBU10-050	24	10 lane comb, 0.5 mm thick (Bio-Rad catalog #3350) for the Bio-Rad Mini-PROTEAN III.	13
CBU10-075	24	10 lane comb, 0.75 mm thick (Bio-Rad catalog #3354) for the Bio-Rad Mini-PROTEAN III.	13
CBU10-100	24	10 lane comb, 1.0 mm thick (Bio-Rad catalog #3359) for the Bio-Rad Mini-PROTEAN III.	13
CBU10-150	24	10 lane comb, 1.5 mm thick (Bio-Rad catalog #3365) for the Bio-Rad Mini-PROTEAN III.	13
CBU15-050	24	15 lane comb, 0.5 mm thick (Bio-Rad catalog #3351) for the Bio-Rad Mini-PROTEAN III.	13
CBU15-075	24	15 lane comb, 0.75 mm thick (Bio-Rad catalog #3355) for the Bio-Rad Mini-PROTEAN III.	13
CBU15-100	24	15 lane comb, 1.0 mm thick (Bio-Rad catalog #3360) for the Bio-Rad Mini-PROTEAN III.	13
CBU15-150	24	15 lane comb, 1.5 mm thick (Bio-Rad catalog #3366) for the Bio-Rad Mini-PROTEAN III.	13
CBUIPG-100	24	IPG comb, 1.0 mm thick (Bio-Rad catalog #165-3362) for the Bio-Rad Mini-PROTEAN III.	13

CBUIPG-150	24	IPG comb, 1.5 mm thick (Bio-Rad catalog #165-3368) for the Bio-Rad Mini-PROTEAN III.	13
CBUSR-075	24	Single Reference comb, 0.75 mm thick (Bio-Rad catalog #165-3356) for the Bio-Rad Mini-PROTEAN III.	13
CBUSR-100	24	Single Reference comb, 1.0 mm thick (Bio-Rad catalog #165-3361) for the Bio-Rad Mini-PROTEAN III.	13
CBUSR-150	24	Single Reference comb, 1.5 mm thick (Bio-Rad catalog #165-3367) for the Bio-Rad Mini-PROTEAN III.	13

Plates for Bio-Rad Mini-PROTEAN III

Cat. No.	Pack size	Name/Description	Price (\$)
GBU050-5	5	Plate w/0.5 mm spacer attached	42
GBU075-5	5	Plate w/0.75 mm spacer attached	42
GBU100-5	5	Plate w/1.0 mm spacer attached (5)	42
GBU150-5	5	Plate w/1.5 mm spacer attached	42
GBU3S-5	5	Short plate	16

Accessories for sub-marine electrophoresis

Cat. No.	Pack size	Name/Description	Price (\$)
CBM12-100	1	12 lane comb, adjustable height 1.00 mm thick, 58 mm wide (comb back not included)	38

Plates for Bio-Rad Dodeca 2D electrophoresis systems

Cat. No.	Pack size	Name/Description	Price (\$)
GBD1820-100	1	Hinged 2D cassettes, 1.0 mm thick, for 18 x 20.5 cm gels	72
GBD1820-150	1	Hinged 2D cassettes, 1.5 mm thick, for 18 x 20.5 cm gels	72
GBD2020-100	1	Hinged 2D cassettes, 1.0 mm thick, for 20 x 20.5 cm gels	72
GBD2020-150	1	Hinged 2D cassettes, 1.5 mm thick, for 20 x 20.5 cm gels	72
GBD2520-100	1	Hinged 2D cassettes, 1.0 mm thick, for 25 x 20.5 cm gels	72
GBD2520-150	1	Hinged 2D cassettes, 1.5 mm thick, for 25 x 20.5 cm gels	72
GBH2520-100	1	Low fluorescence cassette, 1.00 mm spacers. These optically clear, low fluorescent gel cassettes are made specifically for the Bio-Rad PROTEAN Plus Dodeca system. Each cassette comes with attached spacers and hinge as a ready to go unit. The spacers are made from leak free plastic which grips tightly against the glass. 25 cm x 20.5 cm gel size. Spacers are 1.00 mm thick.	142

GBH2520-150	1	Low fluorescence cassette, 1.5 mm spacers These optically clear, low fluorescent gel cassettes are made specifically for the Bio-Rad PROTEAN Plus Dodeca system. Each cassette comes with attached spacers and hinge as a ready to go unit. The spacers are made from leak free plastic which grips tightly against the glass. 25 cm x 20.5 cm gel size. Spacers are 1.50 mm thick.	142
GBF1820-100	2	Plate set (no hinge), 1.0 mm thick, for 18 x 20.5 cm gels	104
GBF1820-150	2	Plate set (no hinge), 1.5 mm thick, for 18 x 20.5 cm gels	104
GBF2020-100	2	Plate set (no hinge), 1.0 mm thick, for 20 x 20.5 cm gels	104
GBF2020-150	2	Plate set (no hinge), 1.5 mm thick, for 20 x 20.5 cm gels	104
GBF2520-100	2	Plate set (no hinge), 1.0 mm thick, for 25 x 20.5 cm gels	117
GBF2520-150	2	Plate set (no hinge), 1.5 mm thick, for 25 x 20.5 cm gels	117

Combs for Bio-Rad Sequi-Gen

Cat. No.	Pack size	Name/Description	Price (\$)
CGW30-035	1	30 cm mylar, 30 wells, 9.1 mm deep 0.35 mm thick, 9.7 mm pt-to-pt	72
CGW32-020	1	30 cm mylar, 32 wells, 9.1 mm deep, 0.2 mm thick, 9.09 mm pt-to-pt	72
CGW32-035	1	30 cm mylar, 32 wells, 9.1 mm deep 0.35 mm thick, 9.09 mm pt-to-pt	72
CGW40-020	1	30 cm mylar, 40 wells, 9.1 mm deep 0.2 mm thick, 7.26 mm pt-to-pt	72
CGW40-035	1	30 cm mylar, 40 wells, 9.1 mm deep 0.35 mm thick, 7.26 mm pt-to-pt	72
CGW42-020	1	30 cm mylar, 42 wells, 8.5 mm deep 0.2 mm thick, 6.9 mm pt-to-pt	72
CGW42-035	1	30 cm mylar, 42 wells, 8.5 mm deep 0.35 mm thick, 6.9 mm pt-to-pt	72
CGW48-020	1	30 cm mylar, 48 wells, 9.0 mm deep 0.2 mm thick, 6.04 mm pt-to-pt	72
CGW48-035	1	30 cm mylar, 48 wells, 9.0 mm deep 0.35 mm thick, 6.04 mm pt-to-pt	72
CGW48-080	1	30 cm mylar, 48 wells, 9.0 mm deep 0.80 mm thick, 6.04 mm pt-to-pt	72
CGW56-035	1	30 cm mylar, 56 wells, 9.1 mm deep 0.35 mm thick, 5.6 mm pt-to-pt	72
CGW64-020	1	30 cm mylar, 64 wells, 9.1 mm deep 0.2 mm thick, 4.5 mm pt-to-pt	72
CGW64-035	1	30 cm mylar, 64 wells, 9.1 mm deep 0.35 mm thick, 4.5 mm pt-to-pt	72
CGW68-020	1	30 cm mylar, 68 wells, 8.4 mm deep 0.2 mm thick, 4.5 mm pt-to-pt	72
CGW68-035	1	30 cm mylar, 68 wells, 8.4 mm deep 0.35 mm thick, 4.5 mm pt-to-pt	72
CGW68-100	1	30 cm mylar, 68 wells, 8.4 mm deep 0.1 mm thick, 4.5 mm pt-to-pt	72

CGW96-035	1	30 cm mylar, 96 wells, 9.1 mm deep 0.35 mm thick, 3.0 mm pt-to-pt	72
CGWPREP	1	Preparative comb 1.5 mm thick. For S2 gel boxes	72
CGY38-040	1	CODIS 15 cm vinyl, 38 wells, 9.1 mm deep 0.4 mm thick, 4.1 mm pt-to-pt	59
CMH101-025	1	30 cm mylar, 101 wells, 1.0 cm deep 0.25 mm thick, 3.0 mm pt-to-pt	46
CMH101-035	1	30 cm mylar, 101 wells, 1.0 cm deep 0.35 mm thick, 3.0 mm pt-to-pt	46
CMH135-025	1	30 cm mylar, 135 wells, 1.0 cm deep 0.25 mm thick, 2.25 mm pt-to-pt	48
CMH135-035	1	30 cm mylar, 135 wells, 1.0 cm deep 0.35 mm thick, 2.25 mm pt-to-pt	48
CMH67-025	1	30 cm mylar, 67 wells, 1.0 cm deep 0.25 mm thick, 4.5 mm pt-to-pt	43
CMH67-035	1	30 cm mylar, 67 wells, 1.0 cm deep 0.35 mm thick, 4.5 mm pt-to-pt	43
CML101-025	1	30 cm mylar, 101 wells, 1.5 cm deep 0.25 mm thick, 3.0 mm pt-to-pt	46
CML101-035	1	30 cm mylar, 101 wells, 1.5 cm deep 0.35 mm thick, 3.0 mm pt-to-pt	46
CML135-025	1	30 cm mylar, 135 wells, 1.5 cm deep 0.25 mm thick, 2.25 mm pt-to-pt	48
CML135-035	1	30 cm mylar, 135 wells, 1.5 cm deep 0.35 mm thick, 2.25 mm pt-to-pt	48
CML67-025	1	30 cm mylar, 67 wells, 1.5 cm deep 0.25 mm thick, 4.5 mm pt-to-pt	43
CML67-035	1	30 cm mylar, 67 wells, 1.5 cm deep 0.35 mm thick, 4.5 mm pt-to-pt	43
CMS33-025	1	15 cm mylar, 33 wells, 1.0 cm deep 0.25 mm thick, 4.5 mm pt-to-pt	27
CMS33-035	1	15 cm mylar, 33 wells, 1.0 cm deep 0.35 mm thick, 4.5 mm pt-to-pt	27
CMS50-025	1	15 cm mylar, 50 wells, 1.0 cm deep 0.25 mm thick, 3.0 mm pt-to-pt	27
CMS50-035	1	15 cm mylar, 50 wells, 1.0 cm deep 0.35 mm thick, 3.0 mm pt-to-pt	27
CMS67-025	1	15 cm mylar, 67 wells, 1.0 cm deep 0.25 mm thick, 2.25 mm pt-to-pt	33
CMS67-035	1	15 cm mylar, 67 wells, 1.0 cm deep 0.35 mm thick, 2.25 mm pt-to-pt	33
CMT33-025	1	15 cm mylar, 33 wells, 1.5 cm deep 0.25 mm thick, 4.5 mm pt-to-pt	27
CMT33-035	1	15 cm mylar, 33 wells, 1.5 cm deep 0.35 mm thick, 4.5 mm pt-to-pt	27
CMT50-025	1	15 cm mylar, 50 wells, 1.5 cm deep 0.25 mm thick, 3.0 mm pt-to-pt	27
CMT50-035	1	15 cm mylar, 50 wells, 1.5 cm deep 0.35 mm thick, 3.0 mm pt-to-pt	27
CMT67-025	1	15 cm mylar, 67 wells, 1.5 cm deep 0.25 mm thick, 2.25 mm pt-to-pt	33
CMT67-035	1	15 cm mylar, 67 wells, 1.5 cm deep 0.35 mm thick, 2.25 mm pt-to-pt	33

Spacers for Bio-Rad Sequi-Gen

Cat. No.	Pack size	Name/Description	Price (\$)
SBR30-035	2	30 cm mylar spacer, 0.35 mm thick, 1 set	30
SBR30-040	2	30 cm vinyl spacer, 0.40 mm thick, 1 set	30
SBR40-025	2	40 cm vinyl spacer, 0.25 mm thick, 1 set	33
SBR40-035	2	40 cm mylar spacer, 0.35 mm thick, 1 set	33
SBR40-040	2	40 cm vinyl spacer, 0.40 mm thick, 1 set	33
SBR50-025	2	50 cm vinyl spacer, 0.25 mm thick, 1 set	35
SBR50-035	2	50 cm mylar spacer, 0.35 mm thick, 1 set	35
SBR50-040	2	50 cm vinyl spacer, 0.40 mm thick, 1 set	35

Accessories for Bio-Rad Sequi-Gen

Cat. No.	Pack size	Name/Description	Price (\$)
MJA200-08	8	Stainless Steel Clips, 2 inches large (8) - Binder type	46
MJK-090	1	Plate Doctor 90 mls solution & amp; cloth	38
MJK-360	1	Plate Doctor 360 mls solution & amp; cloth	122

Accessories for Gibco BRL Horizon H5

Cat. No.	Pack size	Name/Description	Price (\$)
CIS10-100	1	11cm Delrin, multichannel, 10 wells, 1.0 cm deep, 1.0 mm thick, 9.0 mm pt-to-pt	20
CIS10-200	1	11cm Delrin, multichannel 10 wells, 1.0 cm deep, 2.0 mm thick 9.0 mm pt-to-pt	33
MTG14	1	14 cm gel running tray two comb slots, UV transparent	85
MTG20	1	20 cm gel running tray, two comb slots, UV transparent	85

Accessories for Gibco BRL SA32 and V16

Combs for Gibco BRL SA32 and V16

Cat. No.	Pack size	Name/Description	Price (\$)
CGK25-040	2	14 cm vinyl, 25 wells, 1.0 cm deep, 0.4 mm thk, 5.7 mm pt-to-pt	20
CGK38-040	2	14 cm vinyl, 38 wells, 1.0 cm deep 0.4 mm thick, 3.7 mm pt-to-pt	23
CGK50-040	2	14 cm vinyl, 50 wells, 1.0 cm deep, 0.4 mm thick, 2.8 mm pt-to-pt	29
CGV10-075	1	10 lane comb, 0.75 mm thick for Gibco BRL V16 gel system	47
CGV10-100	1	10 lane comb, 1.00 mm thick for Gibco BRL V16 gel system	47
CGV10-150	1	10 lane comb, 1.50 mm thick comb for Gibco BRL V16 gel system	47
CGV12-075	1	12 lane comb, 0.75 mm thick for Gibco BRL V16 gel system	47
CGV12-100	1	12 lane comb, 1.00 mm thick for Gibco BRL V16 gel system	47
CGV12-150	1	12 lane comb, 1.50 mm thick for Gibco BRL V16 gel system	47
CGY12-035	1	15 cm mylar, 12 wells, 9.1 mm deep, 0.35 mm thick, 12 mm pt-to-pt	59

CGY15-020	1	15 cm mylar, 15 wells, 9.1 mm deep, 0.2 mm thick, 9.7 mm pt-to-pt	59
CGY15-035	1	15 cm mylar, 15 wells, 9.1 mm deep, 0.35 mm thick, 9.7 mm pt-to-pt	59
CGY16-020	1	15 cm mylar, 16 wells, 9.1 mm deep, 0.2 mm thick, 9.09 mm pt-to-pt	59
CGY16-035	1	15 cm mylar, 16 wells, 9.1 mm deep, 0.35 mm thick, 9.09 mm pt-to-pt	59
CGY20-020	1	15 cm mylar, 20 wells, 9.1 mm deep, 0.2 mm thick, 7.26 mm pt-to-pt	59
CGY20-035	1	15 cm mylar, 20 wells, 9.1 mm deep, 0.35 mm thick, 7.26 mm pt-to-pt	59
CGY21-020	1	15 cm mylar, 21 wells, 8.5 mm deep, 0.2 mm thick, 6.9 mm pt-to-pt	59
CGY21-035	1	15 cm mylar, 21 wells, 8.5 mm deep, 0.35 mm thick, 6.9 mm pt-to-pt	59
CGY24-020	1	15 cm mylar, 24 wells, 9.0 mm deep, 0.2 mm thick, 6.04 mm pt-to-pt	59
CGY24-035	1	15 cm mylar, 24 wells, 9.0 mm deep, 0.35 mm thick, 6.04 mm pt-to-pt	59
CGY24-080	1	15 cm mylar, 24 wells, 9.0 mm deep, 0.80 mm thick, 6.04 mm pt-to-pt	59
CGY28-035	1	15 cm mylar, 28 wells, 9.1 mm deep, 0.35 mm thick, 5.6 mm pt-to-pt	59
CGY32-020	1	15 cm mylar, 32 wells, 9.1 mm deep, 0.2 mm thick, 4.5 mm pt-to-pt	59
CGY32-035	1	15 cm mylar, 32 wells, 9.1 mm deep, 0.35 mm thick, 4.5 mm pt-to-pt	59
CGY34-020	1	15 cm mylar, 34 wells, 8.4 mm deep, 0.2 mm thick, 4.5 mm pt-to-pt	59
CGY34-035	1	15 cm mylar, 34 wells, 8.4 mm deep, 0.35 mm thick, 4.5 mm pt-to-pt	59
CGY34-100	1	15 cm mylar, 34 wells, 8.4 mm deep, 0.1 mm thick, 4.5 mm pt-to-pt	59
CGY48-035	1	15 cm mylar, 48 wells, 9.1 mm deep, 0.35 mm thick, 3.0 mm pt-to-pt	59

Plates for Gibco BRL SA32 and V16

Cat. No.	Pack size	Name/Description	Price (\$)
GG020B-030-5S	10	Short & long plates, 3 mm thick, 5 sets	676
GG020B-050-5S	10	Short & long plates, 5 mm thick, 5 sets	676
GG020L-030-5	5	36.2 x 19.7 cm long plate, 3 mm thick	380
GG020L-050-5	5	36.2 x 19.7 cm long plate, 5 mm thick	380
GG020S-030-5	5	33.8 x 19.7 cm short plate, 3 mm thick	380
GG020S-050-5	5	33.8 x 19.7 cm short plate, 5 mm thick	380
GG033B	5	Short and long plates, 5 sets	702
GG033L	5	41.9 x 33.3 cm long plate	351
GG033S	5	39.4 x 33.3 cm short plate	351
GG047B-030-5S	10	Short and long plates, 3 mm thick, 5 sets	676
GG047B-050-5S	10	Short and long plates, 5 mm thick, 5 sets	676

GG047L-030-5	5	20 x 45cm long plate, 3 mm thick	338
GG047L-050-5	5	20 x 45 cm long plate, 5 mm thick	338
GG047S-030-5	5	20 x 47cm short plate, 3 mm thick	338
GG047S-050-5	5	20 x 47 cm short plate, 5 mm thick	338
GGR20B-5S	10	Short and long plates, 5 sets	231
GGR20L-5	5	36.2 x 19.7 cm long plate	116
GGR20S-5	5	33.8 x 19.7 cm short plate	116
GGR33B-5S	10	Short and long plates, 5 sets	254
GGR33L-5	5	41.9 x 33.3 cm long plate	129
GGR33S-5	5	39.4 x 33.3 cm short plate	129
GGR47L	5	20 x 45 cm long plate	129
GGV20L-5	5	Gibco V16 Long Plate	129
GGV20S-5	5	Gibco V16 Short Plate	129

Spacers for Gibco BRL SA32 and V16

Cat. No.	Pack size	Name/Description	Price (\$)
SGR36-025	2	35.8 cm vinyl, 0.25 mm thick, 1 set, 12 foam blocks included	31
SGR36-035	2	35.8 cm vinyl, 0.35 mm thick, 1 set, 12 foam blocks included	31
SGR36-040	2	35.8 cm vinyl, 0.4 mm thick, 1 set, 12 foam blocks included	31
SGR42-025	2	41.8 cm vinyl, 0.25 mm thick, 1 set, 12 foam blocks included	31
SGR42-035	2	41.8 cm vinyl, 0.35 mm thick, 1 set, 12 foam blocks included	31
SGR42-040	2	41.8 cm vinyl, 0.4 mm thick, 1 set, 12 foam blocks included	31
SGR42-080	2	41.8 cm COEX, 0.8 mm thick, 1 set, 12 foam blocks included	31
SGR42-100	2	41.8 cm COEX, 1.0 mm thick, 1 set, 12 foam blocks included	31
SGR47-025	2	47cm mylar, 0.25 mm thick, 1 set, 12 foam blocks included	31
SGR47-035	2	47 cm mylar, 0.35 mm thick, 1 set, 12 foam blocks included	31
SGR47-040	2	47 cm vinyl, 0.4 mm thick, 1 set, 12 foam blocks included	31
SGR47-041	2	Black spacers for laser scanning, 0.4 mm thick, 1 set	36
SGR47-080	2	47 cm COEX, 0.8 mm thick, 1 set, 12 foam blocks included	31
SGR47-100	2	47 cm COEX, 1.0 mm thick, 1 set, 12 foam blocks included	31
SGV18-075	2	18 cm spacer, 0.75 mm thick, 1 set for Gibco BRL V16 gel system	31
SGV18-100	2	18 cm spacer, 1.0 mm thick, 1 set for Gibco BRL V16 gel system	31
SGV18-150	2	18 cm spacer, 1.5 mm thick, 1 set for Gibco BRL V16 gel system	31
FGN12	12	12 adhesive backed foam tabs which attach to spacers to serve as buffer dams	26

Combs for Hoefer SE250, SE260, SW280, MiniVE

Cat. No.	Pack size	Name/Description	Price (\$)
CHS05-075	1	5 lane comb, 0.75 mm thick (Hoefer catalog #80-6140-23) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS05-100	1	5 lane comb, 1.0 mm thick (Hoefer catalog #80-6140-42) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS05-150	1	5 lane comb, 1.5 mm thick (Hoefer catalog #80-6140-61) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS10-075	1	10 lane comb, 0.75 mm thick (Hoefer catalog #80-6138-71) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS10-100	1	10 lane comb, 1.0 mm thick (Hoefer catalog #80-6138-90) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS10-150	1	10 lane comb, 1.5 mm thick (Hoefer catalog #80-6139-09) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS15-075	1	15 lane comb, 0.75 mm thick (Hoefer catalog #80-6139-47) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS15-100	1	15 lane comb, 1.0 mm thick (Hoefer catalog #80-6139-66) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS15-150	1	15 lane comb, 1.5 mm thick (Hoefer catalog #80-6139-85) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS20-075	1	20 lane comb, 0.75 mm thick for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS20-100	1	20 lane comb, 1.0 mm thick for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHS20-150	1	20 lane comb, 1.5 mm thick for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33
CHSSR-150	1	Single reference comb, 1.5 mm thick (Hoefer catalog #80-6141-94) for the Hoefer SE200 Series. Our combs are made from 100% virgin Teflon and are burr free.	33

Plates for Hoefer SE250, SE260, SE280

Cat. No.	Pack size	Name/Description	Price (\$)
AHS0810-5	5	8.3 x 10.2 cm notched alumina plate for the Hoefer SE250, package of 5 plates	72
GHS0810-10	10	8.3 x 10.2 cm outer glass plate (10)	44
GHS0810-5	5	8.3 x 10.2 cm outer glass plate (5)	27
AHS1010-10	10	10.6 x 10.2 cm notched alumina plate (Hoefer catalog #80-6150-68) for the Hoefer SE260, package of 10 plates	122
AHS1010-5	5	10.6 x 10.2 cm notched alumina plate for the Hoefer SE260, package of 5 plates	74
GHS1010-10	10	10.6 x 10.2 cm outer glass plate (10)	52
GHS1010-5	5	10.6 x 10.2 cm outer glass plate (5)	29
AHS1012-10	10	12 x 10.2 cm notched alumina plate for the Hoefer SE280, package of 10 plates	137
AHS1012-5	5	12 x 10.2 cm notched alumina plate for the Hoefer SE280, package of 5 plates	91
GHS1210-10	10	12 x 10.2 cm outer glass plate (10)	49
GHS1210-5	5	12 x 10.2 cm outer glass plate (5)	30
AHS0810-10	10	8.3 x 10.2 cm notched alumina plate (Hoefer catalog #80-6136-43) for the Hoefer SE250, package of 10 plates.	118

Spacers for Hoefer SE250, SE260.

Cat. No.	Pack size	Name/Description	Price (\$)
SHS08-075	2	8 cm spacer (flat) (8.3 cm actual length) 0.75 mm thick spacer (Hoefer catalog #80-6137-95) for the Hoefer SE250, 1 set (package of 2 spacers)	21
SHS08-100	2	8 cm spacer (flat) (8.3 cm actual length) 1.0 mm thick spacer (Hoefer catalog #80-6138-14) for the Hoefer SE250, 1 set (package of 2 spacers)	21
SHS08-150	2	8.8 cm flat spacer (8.3 cm actual length) 1.5 mm thick spacer (Hoefer catalog #80-6138-33) for the Hoefer SE250, 1 set (package of 2 spacers)	21
SHS08T-075	2	8.8 cm T-shaped spacer (8.3 cm actual length), 0.75 mm thick spacer (Hoefer catalog#80-6137-95) for the Hoefer SE250, 1 set (package of 2 spacers)	33
SHS08T-100	2	8.8 cm T-shaped spacer (8.3 cm actual length), 1.0 mm thick spacer (Hoefer catalog #80-6138-14) for the Hoefer SE250, 1 set (package of 2 spacers)	33
SHS08T-150	2	8.8 cm T-shaped spacer (8.3 cm actual length), 1.5mm thick spacer (Hoefer catalog #80-6138-33) for the Hoefer SE250, 1 set (package of 2 spacers).	33
SHS10-075	2	10.6 cm flat spacer (10.6 cm actual length), 0.75 mm thick spacer (Hoefer catalog #80-6149-92) for the Hoefer SE260, 1 set (package of 2 spacers).	21
SHS10-100	2	10.6 cm flat spacer (10.6 cm actual length), 1.0 mm thick spacer (Hoefer catalog #80-6150-11) for the Hoefer SE260, 1 set (package of 2 spacers).	21

SHS10-150	2	10.6 cm flat spacer (10.6 cm actual length), 1.5 mm thick spacer (Hoefer catalog #80-6150-30) for the Hoefer SE260, 1 set (package of 2 spacers).	21
SHS10T-075	2	10.6 cm T-shaped spacer (10.6 cm actual length), 0.75 mm thick spacer (Hoefer catalog #80-6149-92) for the Hoefer SE260, 1 set (package of 2 spacers)	33
SHS10T-100	2	10.6 cm T-shaped spacer (10.6 cm actual length), 1.0 mm thick spacer (Hoefer catalog #80-6150-11) for the Hoefer SE260, 1 set (package of 2 spacers).	33
SHS10T-150	2	10.6 cm T-shaped spacer (10.6 cm actual length), 1.5 mm thick spacer (Hoefer catalog #80-6150-30) for the Hoefer SE260, 1 set (package of 2 spacers)	33
SHS12-075	2	12 cm flat spacer, 0.75 mm thick for the Hoefer SE260, 1 set (package of 2 spacers)	21
SHS12-100	2	12 cm flat spacer, 1.0 mm thick for the Hoefer SE260, 1 set (package of 2 spacers)	21
SHS12-150	2	12 cm flat spacer, 1.5 mm thick spacer for the Hoefer SE260, 1 set (package of 2 spacers)	21
SHS12T-075	2	12cm T-shaped spacer, 0.75mm thick for the Hoefer SE260, 1 set (package of 2 spacers)	33
SHS12T-100	2	12 cm T-shaped spacer, 1.0 mm thick for the Hoefer SE260, 1 set (package of 2 spacers)	33
SHS12T-150	2	12 cm T-shaped spacer, 1.5 mm thick for the Hoefer SE260, 1 set (package of 2 spacers)	33

Combs for Hoefer SE400, SE600 and Ruby

Cat. No.	Pack size	Name/Description	Price (\$)
CHL10-075	1	10 lane comb, 0.75 mm thick comb (Hoefer catalog #80-6159-99) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL10-100	1	10 lane comb, 1.0 mm thick (Hoefer catalog #80-6160-18) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL10-150	1	10 lane comb, 1.5 mm thick (Hoefer catalog #80-6160-37) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL15-075	1	15 lane comb, 0.75 mm thick (Hoefer catalog #80-6161-13) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL15-100	1	15 lane comb, 1.0 mm thick (Hoefer catalog #80-6161-32) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL15-150	1	15 lane comb, 1.5 mm thick (Hoefer catalog #80-6161-51) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52

CHL20-075	1	20 lane comb, 0.75 mm thick (Hoefer catalog #80-6161-70) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL20-100	1	20 lane comb, 1.0 mm thick (Hoefer catalog #80-6161-89) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL20-150	1	20 lane comb, 1.5 mm thick (Hoefer catalog #80-6161-08) for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL25-075	1	25 lane comb, 0.75 mm thick for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL25-100	1	25 lane comb, 1.0 mm thick for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL25-150	1	25 lane comb, 1.5 mm thick for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL29-075	1	29 lane comb, 0.75 mm thick for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL29-100	1	29 lane comb, 1.0 mm thick for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHL29-150	1	29 lane comb, 1.5 mm thick for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHLDR-150	1	Dual reference comb, 1.5 mm thick for the Hoefer SE400 and SE600. Our combs are made from 100% virgin Teflon and are burr free.	52
CHLIPG-100	1	IPG comb, 1.0 mm thick with single reference well for SE600 and SE600 RUBY, 1.0 mm thick. Must be used with Cat# SHL16N-100	52

Plates for Hoefer SE400, SE600 and Ruby

Cat. No.	Pack size	Name/Description	Price (\$)
GHL1816N-2	2	18 x 16 cm notched divider plate (2)	202
GHL1816N-5	5	18 x 16 cm notched divider plate (5)	455
GHL1816-2	2	18 x 16 cm rectangular plate (2)	33
GHL1816-5	5	18 x 16 cm rectangular plate (5)	65
GHO1816-2	2	18 x 16 cm rectangular plate for SE600 and Ruby 600, optically clear for fluorescent scanning, 2 plates	70
GHO1816-5	5	18 x 16 cm rectangular plate for SE600 and Ruby 600, optically clear for fluorescent scanning, 5 plates	163

Spacers for Hoefer SE400, SE600 and Ruby

Cat. No.	Pack size	Name/Description	Price (\$)
SHL16-075	2	16 cm spacer, 0.75 mm thick (Hoefer catalog #80-6180-51) for the Hoefer SE400 and SE600, 1 set (package of 2 spacers)	39
SHL16-100	2	16 cm spacer, 1.0 mm thick (Hoefer catalog #80-6180-70) for the Hoefer SE400 and SE600, 1 set (package of 2 spacers)	39
SHL16-150	2	16 cm spacer, 1.5 mm thick (Hoefer catalog #80-6180-89) for the Hoefer SE400 and SE600, 1 set (package of 2 spacers)	39
SHL16N-100	2	16 cm spacer, 1.3 cm wide, 1.0 mm thick Must be used with Cat# CHLIPG-100 1 set (package of 2 spacers)	39
SHL24-100	2	24 cm spacer, 1.0 mm thick spacer (Hoefer catalog #80-6190-77) for the Hoefer SE600, 1 set (package of 2 spacers)	39
SHL24-150	2	24 cm spacer, 1.5 mm thick spacer (Hoefer catalog #80-6160-96) for the Hoefer SE600, 1 set (package of 2 spacers)	39

Combs for OWL B2 - B3 Mini Gel Electrophoresis System

Cat. No.	Pack size	Name/Description	Price (\$)
COL12-100	1	12 well comb for OWL Scientific B2/B3 Mini Gel Electrophoresis Systems, 1.00 mm thick	36
COL12-150	1	12 well comb for OWL Scientific B2/B3 Mini Gel Electrophoresis Systems, 1.5 mm thick	36
COL20-100	1	20 well comb for OWL Scientific B2/B3 Mini Gel Electrophoresis Systems, 1.00 mm thick	36
COL20-150	1	20 well comb for OWL Scientific B2/B3 Mini Gel Electrophoresis Systems, 1.5 mm thick	36

Combs for Li-Cor 4000S, 4200S and 4300S

Cat. No.	Pack size	Name/Description	Price (\$)
CAJ96	10	96 lane porous membrane comb 0.2 mm thick, 10 pack	98
CAM48L	10	LI-COR 48 lane porous membrane comb 3.0 mm spacing, 10 pack	68
CAM64L	10	LI-COR 64 lane porous membrane comb, 2.2 mm spacing, 0.2 mm thick, 10 pack	83
CLC55-020	1	Casting Comb, 5.5 mm depth, 0.2 mm thick	59
CLC55-030	1	Casting Comb, 5.5 mm depth, 0.3 mm thick	59
CLC55-040	1	Casting Comb, 5.5 mm depth, 0.4 mm thick	59
CLC63-020	1	Casting Comb, 6.3 mm depth, 0.2 mm thick	59
CLC63-030	1	Casting Comb, 6.3 mm depth, 0.3 mm thick	59
CLC63-040	1	Casting Comb, 6.3 mm depth, 0.4 mm thick	59
CLG32-020	1	32 lane sharksgum comb, 0.2 mm thick	59
CLG36-020	1	36 lane sharksgum comb, 0.2 mm thick	59
CLG48-020	1	48 lane sharksgum comb, 0.2 mm thick	59
CLG64-020	1	64 lane sharksgum comb, 0.2 mm thick	59

CLG72-020	1	72 lane sharksgum comb, 0.2 mm thick	59
CLG96-020	1	96 lane sharksgum comb, 0.2 mm thick 1.5 mm spacing	59
CLK24-020	1	24 lane sharkstooth comb, 0.2 mm thick	59
CLK24-030	1	24 lane sharkstooth comb, 0.3 mm thick	59
CLK24-040	1	24 lane sharkstooth comb, 0.4 mm thick	59
CLK32-020	1	32 lane sharkstooth comb, 0.2 mm thick	59
CLK32-030	1	32 lane sharkstooth comb, 0.3 mm thick	59
CLK32-040	1	32 lane sharkstooth comb, 0.4 mm thick	59
CLK36-020	1	36 lane sharkstooth comb, 0.2 mm thick	59
CLK36-030	1	36 lane sharkstooth comb, 0.3 mm thick	59
CLK36-040	1	36 lane sharkstooth comb, 0.4 mm thick	59
CLK48-020	1	48 lane sharkstooth comb, 0.2 mm thick	59
CLK48-030	1	48 lane sharkstooth comb, 0.3 mm thick	59
CLK48-040	1	48 lane sharkstooth comb, 0.4 mm thick	59
CLK48V-020	1	48 lane high volume sharkstooth comb 0.2 mm thick	59
CLK64-020	1	64 lane sharkstooth comb, 0.2 mm thick	59
CLK64-030	1	64 lane sharkstooth comb, 0.3 mm thick	59
CLK64-040	1	64 lane sharkstooth comb, 0.4 mm thick	59
CLK64V-020	1	64 lane high volume sharkstooth comb 0.2 mm thick	59
CLK72-020	1	72 lane sharkstooth comb, 0.2 mm thick	59
CLK72-030	1	72 lane sharkstooth comb, 0.3 mm thick	59
CLK72-040	1	72 lane sharkstooth comb, 0.4 mm thick	59
CLK72V-020	1	72 lane high volume sharkstooth comb 0.2 mm thick	59
CLK96-020	1	96 lane sharkstooth comb, 0.2 mm thick 1.5 mm spacing	59
CLK96-030	1	96 lane sharkstooth comb, 0.3 mm thick 1.5 mm spacing	59
CLK96-040	1	96 lane sharkstooth comb, 0.4 mm thick 1.5 mm spacing	59
CLS48-020	1	48 lane sabertooth comb, 0.2 mm thick	59
CLS64-020	1	64 lane sabertooth comb, 0.2 mm thick	59
CLS96-020	1	96 lane sabertooth comb, 0.2 mm thick, 1.5 mm spacing	59
CLW24-020	1	24 lane well forming comb, 0.2 mm thick	59
CLW24-030	1	24 lane well forming comb, 0.3 mm thick	59
CLW24-040	1	24 lane well forming comb, 0.4 mm thick	59
CLW32V-020	1	32 lane high volume well forming comb 0.2 mm thick	59
CLW32V-030	1	32 lane high volume well forming comb 0.3 mm thick	59
CLW32V-040	1	32 lane high volume well forming comb 0.4 mm thick	59
CLW34-020	1	34 lane well forming comb, 0.2 mm thick	59
CLW34-030	1	34 lane well forming comb, 0.3 mm thick	59
CLW34-040	1	34 lane well forming comb, 0.4 mm thick	59
CLW40-035	1	15 cm mylar, 40 wells, 6.3 mm deep 3.5 mm pt-to-pt	59

CLW48-020	1	48 lane well forming comb, 0.2 mm thick	59
CLW48-030	1	48 lane well forming comb, 0.3 mm thick	59
CLW48-040	1	48 lane well forming comb, 0.4 mm thick	59
CLW50-020	1	50 lane well forming comb, 0.2 mm thick	59
CLW50-030	1	50 lane well forming comb, 0.3 mm thick	59
CLW50-040	1	50 lane well forming comb, 0.4 mm thick	59
CLW64-020	1	64 lane well forming comb, 0.2 mm thick	59
CLW64-030	1	64 lane well forming comb, 0.3 mm thick	59
CLW64-040	1	64 lane well forming comb, 0.4 mm thick	59
CLW66-020	1	66 lane well forming comb, 0.2 mm thick	59
CLW66-030	1	66 lane well forming comb, 0.3 mm thick	59
CLW66-040	1	66 lane well forming comb, 0.4 mm thick	59
CLW72-020	1	72 lane well forming comb, 0.2 mm thick	59
CLW72-030	1	72 lane well forming comb, 0.3 mm thick	59
CLW72-040	1	72 lane well forming comb, 0.4 mm thick	59

Accessories for Li-Cor 4000S, 4200S and 4300S

Cat. No.	Pack size	Name/Description	Price (\$)
TAM48L	1	48 lane rapid loading membrane tray	234
TAM64L	1	64 lane rapid loading membrane tray	234
TAY96	1	96 lane loading tray, 1.5mm spacing	234

Spacers for Li-Cor 4000S, 4200S and 4300S

Cat. No.	Pack size	Name/Description	Price (\$)
SLR18-020	2	LI-COR 18 cm mylar spacer, 0.2 mm thick	52
SLR18-030	2	LI-COR 18 cm mylar spacer, 0.3 mm thick	52
SLR18-040	2	LI-COR 18 cm mylar spacer, 0.4 mm thick	52
SLR25-020	2	LI-COR 25 cm mylar spacer, 0.2 mm thick	52
SLR25-030	2	LI-COR 25 cm mylar spacer, 0.3 mm thick	52
SLR25-040	2	LI-COR 25 cm mylar spacer, 0.4 mm thick	52
SLR41-020	2	LI-COR 41 cm mylar spacer, 0.2 mm thick	52
SLR41-030	2	LI-COR 41 cm mylar spacer, 0.3 mm thick	52

Plates for Li-Cor 4000, 4200 and 4300

Cat. No.	Pack size	Name/Description	Price (\$)
GLO18N	1	LI-COR 18 x 25 cm notched plate	72

Plates for Li-Cor 4000, 4200 and 4300

Cat. No.	Pack size	Name/Description	Price (\$)
GLO18R	1	LI-COR 18 x 25 cm rectangular plate	68
GLO25N	1	LI-COR 25 x 25 cm notched plate	81
GLO25R	1	LI-COR 25 x 35 cm rectangular plate	70
GLO41N	1	LI-COR 41 x 25 cm notched plate	88
GLO41R	1	LI-COR 41 x 25 cm rectangular plate	75
GLO66N	1	LI-COR 66 x 25 cm notched plate	122
GLO66R	1	LI-COR 66 x 25 cm rectangular plate	104
GLZ25N	1	LI-COR 25 x 25 cm notched plate	107
GLZ25R	1	LI-COR 25 x 35 cm rectangular plate	96
GLZ41N	1	LI-COR 41 x 25 cm notched plate	118
GLZ41R	1	LI-COR 41 x 25 cm rectangular plate	105
GLT18N	1	LI-COR 18 x 25 cm trough plate 96 upgrade	234
GLT25N	1	LI-COR 25 x 25 cm trough plate 96 upgrade	267
GLT41N	1	LI-COR 41 x 25cm trough plate 96 upgrade	338

Accessories for GE Healthcare Ettan DALT Electrophoresis System

Cat. No.	Pack size	Name/Description	Price (\$)
CHDSR-100	1	Single reference well comb Ettan Dalt, 1.0 mm thick, for second dimension gels. These combs are for people who prefer to cast the second dimension gel with a teflon comb to get a reference well to run beside the IPG strip	59
EDF06	6	Ettan DALT filler sheets, 1.0 mm thick	62
EDF16	16	Ettan DALT filler sheets, 0.5 mm thick	176
GEP2620-100	1	Ettan Dalt precast gel holding cassette This gel holding cassette is specially made to hold precast gels which fit the GE Ettan DALT 2D gel systems. Our price for these is 40% less than you would find elsewhere. Compare to GE Healthcare catalog number 80-6466-65	215
GHT2620-100	1	Ettan DALT gel casting cassette gel size 26 cm x 20 cm x 1.0 mm	163
GHT2620-150	1	Ettan DALT gel casting cassette, gel size 26 cm x 20 cm x 1.5 mm	163
GHX2023-100	1	Hinged gel cassette, gel size 23 cm x 20 cm x 1.0 mm	103
GHY2620-100	2	Ettan DALT glass plate set (no hinge) including 1.0 mm spacers. Optically clear plate set for low fluorescence applications	129
GHY2620-150	2	Ettan DALT glass plate set (no hinge) including 1.5 mm spacers. Optically clear plate set for low fluorescence applications	129

Terms and Conditions of Sale

May 2009

1. General

1.1 In these Terms and Conditions:

The Buyer means the person, firm, company or other organization who or which has ordered Products and/or Services from gelcompany.

The Contract means the contract for the sale and purchase of Products and/or Services between gelcompany and the Buyer as may be further evidenced by gelcompany's final written offer, quotation or order acknowledgement and no prior proposals, statements, representations or conditions will be binding on either party;

The Equipment means all electronic equipment, hardware and other electronic or mechanical items agreed to be supplied by gelcompany, excluding any consumables and spare parts sold separately;

The Goods means all items agreed to be supplied by gelcompany other than the Equipment and Software; The Products means any Goods, Equipment or Software agreed to be supplied by gelcompany; and

The Services means all advice given and services performed by gelcompany; and

The Software means any firmware, software or data compilations (i) identified in the Contract or (ii) provided to Buyer by gelcompany in connection with installation or operation of the Equipment. For the avoidance of doubt, Software shall not include any "open source" firmware, software or data compilations, as any such "open source" firmware, software or data compilations will be subject to the terms and conditions set out in the relevant "open source" license.

1.2 These Terms and Conditions shall be incorporated into the Contract and shall apply to the exclusion of any conditions of the Buyer. These Terms and Conditions may not be varied or waived except with the express written agreement of gelcompany. The failure of gelcompany to enforce its rights under the Contract at any time, for any period of time, shall not be construed as a waiver of any such rights.

2. Prices and Quotations

The price of the Products and/or Services will be gelcompany's quoted price, inclusive of any duties, but exclusive of value added or other taxes. All quotations issued by gelcompany for the supply of Products and/or Services shall remain open for acceptance for the period stated in the quotation or, if none is stated, for sixty (60) days. In all other cases, prices payable are those currently in effect in gelcompany's then current pricelist, which may include charges for handling, freight, packaging, insurance and minimum orders.

3. Payment

3.1 Unless otherwise agreed in writing, payment in full shall be made to gelcompany in the currency invoiced, no later than thirty (30) days from the date of invoice.

3.2 In the event of late payment, gelcompany reserves the right:

- (i) to suspend deliveries and/or cancel any of its outstanding obligations; and
- (ii) to charge interest at the lower of (a) an annual rate equal to twelve (12) % and (b) any applicable maximum statutory rate on all unpaid amounts calculated on a day to day basis until the actual date of payment.

4. Changes and Returns

4.1 gelcompany reserves the right, subject to prior written notice, to make any change in the specification of the Products, which does not materially affect the installation, performance or price thereof.

4.2 Products may only be returned with prior authorization from gelcompany.

5. Delivery/Installation/Acceptance

5.1 Any term of delivery shall be construed according to the latest edition of Incoterms. If no other term of delivery has been specified in the Contract the Products will be delivered CIP to Buyer's premises or to the agreed destination.

5.2 Partial deliveries shall be permitted. If the Buyer fails to accept delivery of the Products within a reasonable period after receiving notice from gelcompany that they are ready for delivery, gelcompany may dispose of or store the Products at the Buyer's expense.

5.3 gelcompany will use all reasonable endeavours to avoid delay in delivery on the notified delivery dates. Failure to deliver by the specified date will not be a sufficient cause for cancellation, nor will gelcompany be liable for any loss or damage due to delay in delivery.

5.4 The Buyer shall notify gelcompany in writing within five (5) working days of delivery of any short delivery or defects reasonably discoverable on careful examination. gelcompany's sole obligation shall be, at its option, to replace or repair any defective Products or refund the purchase price of any undelivered Products.

Where delivery of any Product requires an export license or other authorization before shipment, gelcompany shall not be responsible for any delay in delivery due to delay in, or refusal of, such license or authorization.

Where the Equipment requires installation, the Buyer shall be responsible at its own cost for making the place where the Equipment will be located ready for installation in accordance with gelcompany's instructions. Installation will not begin unless such responsibilities are completed.

Following installation, and where applicable, gelcompany will proceed with final testing using gelcompany's published performance specifications and using its standard instruments and procedures. Upon the satisfactory completion of such final testing demonstrating compliance with the above specifications (with any permitted variations/tolerances) gelcompany may issue a Test Certificate which shall be conclusive evidence of such compliance and thereupon installation of the Equipment shall be deemed to be complete and in compliance with gelcompany's obligations under the Contract. In any event Buyer agrees that the Equipment is accepted (i) seven (7) days after the date on which gelcompany notifies Buyer that final testing was successfully completed, or issues the Test Certificate or (ii) on the date Buyer first uses the Equipment for operational use, whichever is earlier.

Buyer, at its reasonable request, shall be entitled to be present at and to witness the testing and shall not be entitled to raise any objection to testing carried out, or to the results thereof, if Buyer failed to attend when advised that testing was to take place.

5.9 Where Products are supplied by gelcompany in returnable containers, these must be returned at the Buyer's expense and in good condition, if requested by gelcompany. Title to these containers shall remain with gelcompany at all times, but they shall be held at the risk of the Buyer until returned to gelcompany. Failure by the Buyer to comply with the above provision shall entitle gelcompany to invoice the Buyer for the full replacement value of the containers.

6. Risk and Title

6.1 The risks of loss of and damage to the Products shall transfer to Buyer in accordance with agreed delivery term. Full title to the Goods and Equipment shall pass to the Buyer on full payment.

6.2 In relation to any Equipment used for clinical or diagnostic purposes, the Buyer shall keep adequate written records of the identity of any person or entity to whom the Equipment is transferred and of the location of such Equipment and shall procure that any purchaser of such Equipment is subject to the same requirement in respect of any onward sales.

7. Services

7.1 Where gelcompany is to provide Services, the Buyer shall ensure that adequate and safe facilities exist at its premises and that gelcompany is properly notified of any relevant regulations.

7.2 If the Buyer has purchased a Product or Service including remote access support, the Buyer shall permit gelcompany to connect to the Products by remote access as may be beneficial to the performance of maintenance or repair activities as part of gelcompany's warranty obligations or otherwise. This may include automatic software downloads and proactive monitoring and access to performance data related to the products, to gather and use products- and resource usage data in various ways such as product development, quality initiatives, benchmarking and reporting services. The data collected by gelcompany will be used, during and after the term of this agreement, in accordance with all applicable laws and regulations and in a manner that will maintain confidentiality.

8. Restricted Use

8.1 With respect to certain Products, use restrictions are a condition of the purchase which Buyer must satisfy by strictly abiding by the restriction as set forth in gelcompany's catalogue and/or on the Product and/or accompanying documentation. Buyer is solely liable to ensure compliance with any regulatory requirements related to the Buyer's use of the Products. Any warranty granted by gelcompany to the Buyer shall be deemed void if any Products covered by such warranty are used for any purpose not permitted hereunder. In addition, the Buyer shall indemnify gelcompany and hold gelcompany harmless from and against any and all claims, damages, losses, costs, expenses and other liability of whatever nature that gelcompany suffers or incurs by reason of any such unintended use.

8.2 With respect to Products regulatory approved for clinical and medical treatment and diagnostic use, any decisions relating to such treatment and use shall be at the risk of the Buyer and the respective healthcare providers.

9. General Warranty

9.1 Section 9.2-9.5 shall apply in the event no other specific warranty has been agreed in the Contract. As regards any Products covered by a warranty issued by a third party manufacturer, such warranty terms shall apply to the exclusion of Section 9.2-9.5.

9.2. Goods - gelcompany warrants that its Goods meet gelcompany's specifications at the time of delivery. All warranty claims on Goods must be made in writing within ninety (90) days of receipt of the Goods. gelcompany's sole liability and Buyer's exclusive remedy for a breach of this warranty is limited to repair, replacement or refund at the sole option of gelcompany.

9.3 Equipment - gelcompany's Equipment of its own manufacture is warranted from date of delivery or gelcompany completing any agreed installation works, if later, to be free of defects in workmanship or materials under normal usage for a period of one (1) year and any claim shall be submitted in writing within such period. gelcompany's sole liability and Buyer's exclusive remedy for a breach of this warranty is limited to repair, replacement or refund at the sole option of gelcompany. Such repairs or replacement will not extend the warranty period.

9.4 Software - gelcompany warrants, for a period which is the longer of:

- (i) three (3) months from the date of delivery or;
 - (ii) in the event the Software is intended to be installed and run on gelcompany's Equipment of its own manufacture, twelve (12) months from the date of delivery,
- that the Software substantially conforms to its published specifications and that the media on which the Software resides will be free from defects in materials and workmanship under normal use and any claim shall be submitted in writing within such period. gelcompany does not warrant that the Software is error free or that Buyer will be able to operate the Software without problems or interruptions. gelcompany's sole liability and Buyer's exclusive remedy in the event of breach of this warranty is limited to repair, replacement or refund, at the sole option of gelcompany.

9.5 Services - gelcompany warrants that all Services will be carried out with reasonable care and skill. gelcompany's sole liability for breach of this warranty shall be at its option to give credit for or re-perform the Services in question. This warranty shall only extend for a period of ninety (90) days after the completion of the Services and any claim shall be submitted in writing within such period.

9.6 To the maximum extent permitted by applicable law gelcompany hereby expressly disclaims, and Buyer hereby expressly waives, any warranty regarding results obtained through the use of the Products, including without limitation any claim of inaccurate, invalid, or incomplete results. All other warranties, representations, terms and conditions (statutory, express, implied or otherwise) as to quality, condition, description, merchantability, fitness for purpose or non-infringement (except for the implied warranty of title) are hereby expressly excluded.

9.7 Unless expressly agreed, gelcompany is not obliged to carry out dismantling or re-installation of any Product in connection with any warranty claims.

10. Limitation of Liability

10.1 gelcompany shall have no liability under the warranties contained in Section 9 in respect of any defect in the Products arising from: specifications or materials supplied by the Buyer; fair wear and tear; wilful damage or negligence of the Buyer or its employees or agents; abnormal working conditions at the Buyer's premises; failure to follow gelcompany's use restrictions or instructions (whether oral or in writing); misuse or alteration or repair of the Products without gelcompany's approval; or if the Buyer is in breach of its payment obligations under this Contract.

10.2 Subject to any express obligation to indemnify, neither party shall be liable for any indirect or consequential, or punitive damages of any kind from any cause arising out of the sale, installation, use or inability to use any Product or Service, nor for, without limitation, loss of profits, goodwill or business interruption.

10.3 The total liability of gelcompany arising under or in connection with the Contract, including for any breach of contractual obligations and/or any misrepresentation, misstatement or tortious act or omission (including without limitation, negligence and liability for infringement of any third party intellectual property rights) shall be limited to damages in an amount equal to the amount paid to gelcompany under the Contract.

10.4 The exclusion of liability in these Terms and Conditions shall only apply to the extent allowed according to applicable law.

11. Intellectual Property Rights

11.1 Where the Buyer supplies designs, drawings, and specifications to gelcompany to enable it to manufacture non-standard or custom made Products, the Buyer warrants that such manufacture will not infringe the intellectual property rights of any third party.

11.2 All intellectual property rights in the Products and/or Services shall at all times remain vested in gelcompany or its licensors.

12. Health and Safety

The Buyer shall ensure that:

- (i) the Products (provided such Products comply with its specifications) are suitable and safe for the Buyer's intended use;
- (ii) the Products are handled in a safe manner.
- (iii) containers, packaging, labelling, equipment and vehicles, where provided by the Buyer, comply with all relevant national and international safety regulations.

13. Indemnities

Except where a claim arises as a direct result of the negligence or breach of contract of gelcompany, the Buyer shall indemnify gelcompany in respect of any claim which may be made against gelcompany:

- (i) arising in connection with the Buyer's unintended use of the Products;
- (ii) alleging that the Buyer's use of the Products infringes the intellectual property rights of any third party.

14. Insolvency

In the event that the Buyer becomes insolvent or applies for bankruptcy or, being a company, goes into liquidation (other than for the purposes of reconstruction or amalgamation), gelcompany shall be entitled immediately to terminate the Contract without notice and without prejudice to any other rights of gelcompany hereunder.

15. Force Majeure

15.1 A party shall not be liable in respect of the non-performance of any of its obligations to the extent such performance is prevented by any circumstances beyond its reasonable control including but not limited to, strikes, lock outs or labour disputes of any kind (whether relating to its own employees or others), fire, flood, explosion, natural catastrophe, military operations, blockade, sabotage, revolution, riot, civil commotion, war or civil war, acts or threats of terrorism, plant breakdown, computer or other equipment failure and inability to obtain equipment.

15.2 If an event of force majeure exceeds one (1) month a Party may cancel the Contract without liability.

16. Software License

Unless a separate software license agreement has been concluded concerning the Software, the Buyer is hereby granted a non-exclusive license to use the Software solely in object code format and solely for its own internal business purposes subject to the terms contained herein. The Buyer shall not (i) use the Software for purposes other than those for which it was designed; (ii) use the Software in connection with other manufacturers' products unless such connectivity is authorized in the Product documentation; (iii) grant, assign, transfer, or otherwise make available to third parties any right whatsoever in the Software; (iv) disclose to third parties any information contained in the Software; (v) copy or reproduce the Software (except for one copy for back-up purposes or as may otherwise be permitted by applicable law); (vi) alter or modify the Software; or (vii) reverse engineer, decompile, disassemble or create any derivative works based upon the Software except as expressly permitted by mandatory law.

17. Export control

The Buyer undertakes not to re-export the Products without the requisite export license from the relevant body of the United Nations or other similar international organization, the United States Government, the country of origin or the original country of export. The requirement to obtain a license may vary depending on the country of destination, the end user, the end use and other factors. Upon request from gelcompany the Buyer shall furnish gelcompany with copies of all documents relating to such re-export.

18. Waste Electrical and Electronic Equipment (WEEE)

18.1 Where the Buyer sells, disposes of or otherwise transfers the Equipment to any third party and where this would unreasonably increase the cost of the collection, treatment or recycling of the Equipment for gelcompany under applicable WEEE legislation, Buyer shall be liable to gelcompany and indemnify gelcompany for such increased costs.

18.2 Should the Equipment that Buyer acquires from gelcompany be Equipment, which is intended to replace on a like for like-basis, any item of Buyer's existing equipment (e.g. the new Equipment is of an equivalent type or is fulfilling the same function as Buyer's existing equipment) Buyer must in respect of such existing equipment have clearly indicated to gelcompany the following: the brand, type, age, condition, current use and the exact location and all other relevant information. In the event Buyer has not complied with such obligations, gelcompany may charge Buyer such reasonable additional fees to reflect any related obligations it may have under national legislation regarding the recycling, reuse and/or disposal of such existing equipment and related costs it may incur.

18.3 Unless the relevant mandatory national legislation provides otherwise, or unless otherwise agreed in writing, gelcompany's obligation does not include without limitation, creation of physical access to the equipment; de-installation; decoupling; disinfecting; craning/lifting; transportation to a ground level loading area or -ramp; packing; or any related similar activities; and Buyer agrees to perform such activities at its own cost as and when required.

19. Governing Law

This Contract shall be governed by and construed in accordance with the substantive laws of the country or state where the gelcompany referred to in the Contract is situated and the parties hereby submit to the non-exclusive jurisdiction of the courts of that country or state.

20. Product-Specific Terms and Conditions

Additional terms and conditions govern the sale of certain Products and Services. These additional terms and conditions are available from the sales offices of gelcompany and shall take precedence in the event of any inconsistency with these Terms and Conditions.

21. Translations and Local Variations

Translations of these terms and conditions are available from the sales offices of gelcompany. In some territories, local variations to these Terms and Conditions may apply. If so, such variations shall take precedence in the event of any inconsistency with these Terms and Conditions.

How to place an order

Gelcompany offer a same day shipment by overnight express for orders placed before 15:00h. To avoid duplication of an order, please ensure that any written confirmation of an order received via telephone, email or the Internet is clearly marked 'Confirmation Order'.

Orders can be placed by:

Mail: gelcompany Pty Ltd
Unit 3, 43-51 College Street
Gladesville NSW 2111
Australia

Phone +61 (0) 2 9817 7400
Fax +61 (0) 2 9817 7433
E-mail: ordersap@gelcompany.com

What we need from you:

- Purchaser's full name and telephone number
- A purchase order number
- Billing address
- Shipping address
- VAT status - if exempt, a VAT exemption certificate showing your VAT number must be provided
- Catalogue number, product name, unit size and the quantity of each item required

Prices and terms:

Prices are quoted in US\$ and are exclusive of Tax. Tax will be charged, at the appropriate rate, unless a valid Tax exemption certificate accompanies the order. Carriage and handling will be charged per order. Information about charges is available on request. gelcompany reserve the right to alter prices, delivery and packaging without prior notice to the customer. Payment terms are strictly 30 days.

Trademark information:

LavaPurple, LavaBlue, LavaCell, LavaPeptide, LavaDigest are trademarks of gelcompany.

3700 Sequencer, 3730 Sequencer, 3130 Sequencer, 3120xl Sequencer, 377 Sequencer, 373 Sequencer, GeneScan OOX ladder, BigDye, are trademarks of Applied Biosystems Inc.

Ettan, Multiphor, PhastGel, PhastSystem, are trademarks of General Electric Company.

Protean II, Mini Protean, Mini Protean III, Dodeca 2D Electrophoresis System, SequiGen, GenePulser, Micro Pulser, are trademarks of Bio-Rad Laboratories, Inc.

Gibco BRL, Horizon H5, SA32, V16 are trademarks of Invitrogen, Inc.

SE 250, SE 260, SW280, SE400, SE600, Ruby are trademarks of Hoefer, Inc.

OWL B2, OWL B3 Mini are trademarks of Thermo Fisher Scientific, Inc.

Li-Cor 4000S, Li-Cor 4200S and Li-Cor4300S are trademarks of Li-Cor, Inc.

Coomassie Brilliant Blue is a trademark of Imperial Chemical Industries.

MUPID is a trademark of Advance Co. Ltd.



Australia/New Zealand/Asia

gelcompany Pty Ltd
Unit 3, 43-51 College Street
Gladesville NSW 2111
Australia

Phone +61 (0) 2 9817 7400
Fax +61 (0) 2 9817 7433
E-Mail: ordersap@gelcompany.com

USA

gelcompany Inc.
665 Third Street, Suite 240
San Francisco, CA 94107
United States of America

Phone +1 (415) 247-8760
Fax +1 (415) 247-8765
E-Mail: ordersusa@gelcompany.com

Europe

gelcompany GmbH
Technologiepark Tuebingen
Paul Ehrlich Str. 17
72076 Tuebingen
Germany

Tel: +49 (0) 7071 25703-0
Fax: +49 (0) 7071 25703-69
E-Mail: orderseurope@gelcompany.com